

TABLE OF CONTENTS—GREENHOUSES—COOLING & VENTILATION

COOLING & VENTILATION

Slant Wall Exhaust Fans		Non Electric Vent Opener	181
Aluminum	167	Manual Roof Vents	181
Guards	168	Rollup Wall Accessories	181
Steel	168	Polyvent Accessories	181
Aluminum Shutters	169	Celdek Pads	182
Replacement Fan Motors	170	Kool-Cel Pads	182
Fan Accessories, Belts & Pulleys	170	2” Pad Media	182
Shutter Exhaust Fans		Distribution & Return Systems	
Variable Speed Fans	171	Stainless Steel	183
2 or 3 Speed Fan	172	S. S. End Closure Plates	184
HAF Circulation Fans	172	Aluminum	184
Fanjets & Accessories	173	Pad Cooling System Accessories	185
Clear Convection Tube		“L” Filters & Accessories	185
Punched	174	“T” Filters & Accessories	185
Unpunched	175	Stock Tanks & Lids	185
Accessories	175	Vertical Tanks With Lids	186
Portable Fans	176	Submersible Pumps	186
Aluminum Inlet Shutters		Greenhouse Humidifiers	187
Without Motors	176	Evaporative Coolers	
Shutter Motors	177	Sidedraft	187
Rack & Pinion		Downdraft	188
Vent Motors & Controls	178	Accessories	189
Vent “Box” Motors	181	Pad Cleaning Solution	189

**ACME ALUMINUM SLANT WALL
EXHAUST FANS**

Our highest quality Acme brand exhaust fans assembled in a galvanized steel slant wall housing with OSHA guards to both the inside and outside of fan box. Ready to mount, connect wiring and use. Select proper shutter at additional cost and install in "U" track with clips on intake or interior side of fan. Single speed motors below one horsepower are dual voltage and work with either 115 or 230 volt when you adjust contacts on motor. Advise voltage you desire and we will set it up at factory for your desired voltage. The 2 speed motors are not dual voltage so you must specify the desired voltage and phase so we will provide the correct motor.



DCA24E 2-SPEED ALUMINUM FAN 1/4 HP
[special order item]
Order #: 55-2422 –sold as each

DCA24F 1 SPEED FAN 1/3 HP
[special order item]
Order #: 55-2426 –sold as each

DCA24F 2 SPEED FAN 1/3 HP
[special order item]
Order #: 55-24261 –sold as each

DCA24G 1 SPEED ALUMINUM FAN 1/2 HP
[special order item]
Order #: 55-2423 –sold as each

DCA24G 2 SPEED FAN 1/2 HP
[special order item]
Order #: 55-24231 –sold as each

DCA24H 1 SPEED FAN 3/4 HP
[special order item]
Order #: 55-2425 –sold as each

DCA24H 2 SPEED FAN 3/4 HP
[special order item]
Order #: 55-24252 –sold as each

DCA30F 1 SPEED FAN 1/3 HP
[special order item]
Order #: 55-3031 –sold as each

DCA30F 2 SPEED FAN 1/3 HP
[special order item]
Order #: 55-303 –sold as each

DCA30G 1 SPEED FAN 1/2 HP
[special order item]
Order #: 55-3063 –sold as each

DCA30G 2 SPEED FAN 1/2 HP
[special order item]
Order #: 55-3064 –sold as each

DCA30H 1 SPEED FAN 3/4 HP
[special order item]
Order #: 55-306 –sold as each

DCA30H 2 SPEED FAN 3/4 HP
[special order item]
Order #: 55-3062 –sold as each

DCA36F 1 SPEED FAN 1/3 HP
[special order item]
Order #: 55-3612 –sold as each

DCA36G 1 SPEED FAN 1/2 HP
[special order item]
Order #: 55-360 –sold as each

DCA36G 2 SPEED FAN 1/2 HP

[special order item]
Order #: 55-361 –sold as each

DCA36H 1 SPEED FAN 3/4 HP

[special order item]
Order #: 55-3610 –sold as each

DCA36H 2 SPEED FAN 3/4 HP

[special order item]
Order #: 55-36101 –sold as each

DCA36J 1 SPEED FAN 1 HP

[special order item]
Order #: 55-3611 –sold as each

DCA42G 1 SPEED FAN 1/2 HP

[special order item]
Order #: 55-4201 –sold as each

DCA42G 2 SPEED FAN 1/2 HP

[special order item]
Order #: 55-42 –sold as each

DCA42H 1 SPEED FAN 3/4 HP

[special order item]
Order #: 55-420 –sold as each

DCA42H 2 SPEED FAN 3/4 HP

[special order item]
Order #: 55-421 –sold as each

DCA48G 1 SPEED FAN 1/2 HP

[special order item]
Order #: 55-DCA48G –sold as each

DCA48G 2 SPEED FAN 1/2 HP

[special order item]
Order #: 55-482 –sold as each

DCA48H 1 SPEED FAN 3/4 HP

[special order item]
Order #: 55-4822 –sold as each

DCA48H 2 SPEED FAN 3/4 HP

[special order item]
Order #: 55-4821 –sold as each

SLANTWALL GUARDS

GS30 INLET GUARD FOR 30" SLANTWALL FANS [special order item]

Order #: 55-3000 –sold as each

GS36 INLET GUARD FOR 36" SLANTWALL FANS [special order item]

Order #: 55-362 –sold as each

ACME STEEL SLANT WALL EXHAUST FANS



All fans provided in slant wall box with inlet and outlet OSHA guards. Purchase automatic shutters separately.

DC24G 1 SPEED FAN 1/2 HP

[special order item]
Order #: 55-DC24 –sold as each

DC30F 1 SPEED FAN 1/3 HP

[special order item]
Order #: 55-304 –sold as each

DC30F 2 SPEED FAN 1/3 HP

[special order item]
Order #: 55-305 –sold as each

To Order Call: 405.787.4833 or 1.800.522.3376
Prices subject to change without notice

DC36G 1 SPEED FAN 1/2 HP

[special order item]
Order #: **55-3642** –sold as each

DC36G 2 SPEED FAN 1/2 HP

[special order item]
Order #: **55-36** –sold as each

DC36H 1 SPEED FAN 3/4 HP

[special order item]
Order #: **55-365** –sold as each

DC42G 1 SPEED FAN 1/2 HP

[special order item]
Order #: **55-4220** –sold as each

DC42G 2 SPEED FAN 1/2 HP

[special order item]
Order #: **55-4225** –sold as each

DC42H 1 SPEED FAN 3/4 HP

[special order item]
Order #: **55-422** –sold as each

DC42H 2 SPEED FAN 3/4 HP

[special order item]
Order #: **55-4221** –sold as each

DC42J 1 SPEED FAN 1 HP

[special order item]
Order #: **55-4223** –sold as each

DC48G 2 SPEED FAN 1/2 HP

[special order item]
Order #: **55-480** –sold as each

DC48H 2 SPEED FAN 3/4 HP

[special order item]
Order #: **55-48** –sold as each

DC54J 1 SPEED FAN 1 HP

[special order item]
Order #: **55-54** –sold as each

ACME ALUMINUM SHUTTERS
FOR EXHAUST FANS



These shutters are built with a pivot point to use with an exhaust fan and will open any time the exhaust fan comes on.

**WAA2727 AUTOMATIC SHUTTER FOR 24”
ACME FAN** [special order item]

Order #: **55-2727** –sold as each

**WAA3333 AUTOMATIC SHUTTER FOR 30”
ACME FAN** [special order item]

Order #: **55-33330** –sold as each

**WAA3939 AUTOMATIC SHUTTER FOR 36”
ACME FAN** [special order item]

Order #: **55-3939** –sold as each

**WAA4545 AUTOMATIC SHUTTER FOR 42”
ACME FAN** [special order item]

Order #: **55-4545** –sold as each

**WAA5454 AUTOMATIC SHUTTER FOR 48”
ACME FAN** [special order item]

Order #: **55-5454** –sold as each

**WAA6060 AUTOMATIC SHUTTER FOR 54”
ACME FAN** [special order item]

Order #: **55-6060** –sold as each

ACME REPLACEMENT FAN MOTORS

**#1750 1/4 HP ACME FANJET MOTOR;
115 VOLT, 1 SPEED** [special order item]
Order #: 55-24 –sold as each

**#2253 1/3 HP “F” ACME FANJET MOTOR;
115/230 VOLT 1 SPEED** [special order item]
Order #: 55-2253 –sold as each

**#2729 1/2 HP “G” ACME FANJET MOTOR;
230/460 VOLT, 3 PHASE, 1 SPEED**
[special order item]
Order #: 55-2729 –sold as each

**#2757 1/2 HP “G” ACME FANJET MOTOR;
115 VOLT, 2 SPEED** [special order item]
Order #: 55-2757 –sold as each

**#2767 1/2 HP “G” ACME FANJET MOTOR;
115/230 VOLT, 1 SPEED** [special order item]
Order #: 55-2767 –sold as each

**#3259 3/4 HP “H” ACME FAN MOTOR;
115 VOLT 2 SPEED** [special order item]
Order #: 55-3259 –sold as each

**#3260 3/4 HP “H” ACME FAN MOTOR;
230 VOLT, 2 SPEED** [special order item]
Order #: 55-3260 –sold as each

**#3783 1HP “J” ACME FAN MOTOR;
115/230 VOLT, 1 SPEED** [special order item]
Order #: 55-3783 –sold as each

**#3799 1HP “J” ACME FAN MOTOR;
230 VOLT, 2 SPEED** [special order item]
Order #: 55-3785 –sold as each

**#3707 1 HP “J” ACME FAN MOTOR;
230/460 VOLT, 3 PHASE, 1 SPEED**
[special order item]
Order #: 55-03 –sold as each

ACME FAN ACCESSORIES, BELTS & PULLEYS

DC-DCA BELT TIGHTENER

[special order item]
Add to Acme belt drive fans to keep belt under tension
Order #: 55-320 –sold as each

ACME DC/DCA REPLACEMENT FAN BEARING [special order item]

Order #: 55-991005 –sold as each

RUBBER RING REPLACEMENT ASSEMBLY

[special order item]
To install with fan bearing
Order #: 55-991220 –sold as each

AK34 X .625 MOTOR PULLEY

[special order item]
Order #: 55-401 –sold as each

A40 ACME FAN BELT [special order item]

Order #: 55-40 –sold as each

A51 FAN BELT [special order item]

Order #: 55-935049 –sold as each

AX33 FAN BELT

Order #: 55-935106 –sold as each

AX35 FAN BELT [special order item]

Order #: 55-935161 –sold as each

4L270 FAN BELT

Order #: 55-935046 –sold as each

To Order Call: 405.787.4833 or 1.800.522.3376
Prices subject to change without notice

4L290 FAN BELT [special order item]

Order #: **55-935117** –sold as each

4L470 FAN BELT [special order item]

Order #: **55-94L4710** –sold as each

SHUTTER EXHAUST FANS

For use as main fans in hobby greenhouses or for winter ventilation or humidity control in larger production greenhouses.

VARIABLE SPEED FANS



Unbelievable smooth and quiet operation. Comes totally assembled out of the box. No electrician required when plugged into a locally approved electrical circuit. Aluminum blade with a zinc plated steel hub balanced for smooth vibration-free operation. Pitch is designed to correlate with motor horsepower to deliver maximum efficiency. Chrome grill allows for easy cleaning and meets OSHA guidelines (OSHA approved on interior wall and approved on exterior wall when mounted 7' above ground). 10' cord attached is wired for 115 volt plug. High efficiency aluminum shutters with tie bar to eliminate shutter flapping and opening on windy days. Extremely energy efficient, totally enclosed, maintenance free, direct drive high efficiency motors have completely sealed ball bearings, UL and ULC certification, built in automatic thermal overload protection, covered by a full two year warranty.

12" SHUTTER FAN W/CORD

12", 1/10 HP, 115 volt, 1.0 Amps, 50/60 HZ, 1 phase, variable speed, 300-1,050 CFM @ 0" sp, 975 CFM @ 0" sp, 8-10 CFM/W @ 0.05" sp, 50-56 DB, 600-1725 RPM, DD drive, 3 aluminum blades, 12.5" x 12.5" rough opening, aluminum shutter, 10' cord.

Order #: **55-VES12** –sold as each

16" SHUTTER FAN W/CORD

16", 1/10 HP, 115 volt, 1.0 Amps, 50/60 HZ, 1 phase, variable speed, 525-2,000 CFM @ 0" sp, 1900 CFM @ 0" sp, 12-14 CFM/W @ 0.05" sp, 50-56 DB, 600-1725 RPM, DD drive, 3 aluminum blades, 16.5" x 16.5" rough opening, aluminum shutter, 10' cord.

Order #: **55-VES16** –sold as each

20" SHUTTER FAN W/CORD

20", 1/3 HP, 115 volt, 3.5 Amps, 50/60 HZ, 1 phase, variable speed, 1,250-4,300 CFM @ 0" sp, 3,400 CFM @ 0" sp, 13-17 CFM/W @ 0.05" sp, 52-58 DB, 600-1725 RPM, DD drive, 3 aluminum blades, 20.5" x 20.5" rough opening, aluminum shutter, 10' cord.

Order #: **55-VES20** –sold as each

24" SHUTTER FAN 1/2 HP

24", 1/2 HP, 115 volt, 14.8 Amps, 50/60 HZ, 1 phase, variable speed, 1,650-6,125 CFM @ 0" sp, 5,850 CFM @ 0" sp, 13-17 CFM/W @ 0.05" sp, 54-60 DB, 600-1725 RPM, DD drive, 3 aluminum blades, 24.5" x 24.5" rough opening, aluminum shutter, 10' cord.

Order #: **55-VES24** –sold as each

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

2 OR 3 SPEED FAN

Unbelievable smooth and quiet operation. Comes totally assembled out of the box. No electrician required when plugged into a locally approved electrical circuit. Aluminum blade with a zinc plated steel hub balanced for smooth vibration-free operation. Pitch is designed to correlate with motor horsepower to deliver maximum efficiency. Chrome grill allows for easy cleaning and meets OSHA guidelines (OSHA approved on interior wall and approved on exterior wall when mounted 7' above ground). 10' cord attached. Most economical 3 speed fan on the market today. High efficiency aluminum shutters with tie bar to eliminate shutter flapping and opening on windy days. Extremely energy efficient, totally enclosed, maintenance free, direct drive high efficiency motors have completely sealed ball bearings, UL and ULC certification, built in automatic thermal overload protection, covered by a full two year warranty.

12" SHUTTER FAN W/CORD

12", 1/10 HP, 115 volt, 0.9/0.6/0.4 Amps, 60 HZ, 1 phase, 3 speed, 1,100/850/550 CFM @ 0" sp, 1,045 CFM @ .05" sp, 12/11/10 CFM/Watt @ 0" sp, 52/48 DB, 1500/1350/1200 RPM, DD drive, 3 aluminum blades, 12.5 x 12.5 rough opening, aluminum shutter, 10' cord.

Order #: **55-VPES12** –sold as each

16" SHUTTER FAN W/CORD

[special order item]

16", 1/10 HP, 115 volt, 1.3/0.9/0.7 Amps, 60 HZ, 1 phase, 3 speed, 2,950/2,050/1,200 CFM @ 0" sp, 2,800 CFM @ .05" sp, 15/14/13 CFM/Watt @ 0" sp, 54/50 DB, 1500/1350/1200 RPM, DD drive, 3 aluminum blades, 16.5 x 16.5 rough opening, aluminum shutter, 10' cord.

Order #: **55-VPES16** –sold as each

20" SHUTTER FAN W/CORD

[special order item]

20", 1/8 HP, 115 volt, 1.60/1.2/1.0 Amps, 60 HZ, 1 phase, 3 speed, 4,220/3,250/2,130 CFM @ 0" sp, 4,000 CFM @ .05" sp, 18/16/14 CFM/Watt @ 0" sp, 58/53 DB, 1570/1400/1000 RPM, DD drive, 3 aluminum blades, 20.5 x 20.5 rough opening, aluminum shutter, 10' cord.

Order #: **55-VPES20** –sold as each

24" SHUTTER FAN W/CORD

[special order item]

24", 1/3 HP, 115 volt, 2.8/1.8 Amps, 60 HZ, 1 phase, 2 speed, 5,850/3,475 CFM @ 0" sp, 5,560 CFM @ .05" sp, 20/16 CFM/Watt @ 0" sp, 60/55 DB, 1200/900 RPM, DD drive, 3 aluminum blades, 24.5 x 24.5 rough opening, aluminum shutter, 10' cord.

Order #: **55-VPES24** –sold as each

HAF CIRCULATION FANS J&D MANUFACTURING

12" J & D GREEN BREEZE HAF FAN W/ CORD



No belts or bearings to maintain. Three winged aluminum blade. OSHA approved when mounted 7' above floor level. Fan and guards come completely assembled. Exclusive Open Front Guard patented design, lowers maintenance cost up to 75%. Mounting bracket mounts

directly to the yoke of motor to eliminate any vibration for smooth fan operation. Provides constant temperature and helps to eliminate hot and cold spots throughout the greenhouse. Corrosion resistant white powder coated fan guard. Specially designed guard allows more air flow for optimum air circulation and quiet operation. Variable speed motors for year round air circulation. 6' cord, 3-prong plug attached. Totally enclosed, maintenance free, direct drive high efficiency motors have completely sealed ball bearings, UL and ULC certification, built in automatic thermal overload protection, covered by a full two year warranty. 12", 1/10 HP, 115/230 volt, 0.5-1.0 Amps, 60 HZ, 1 phase, variable speed, 2,300 CCFM, 21.1 CCFM/Watt, 0.76 F (t) lb., 56 DB, 1,705 RPM, DD drive, 3 aluminum blades, 6' cord, white.

Order #: **55-VBG12** –sold as each

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

20" J&D GREEN BREEZE HAF FAN W/CORD

[special order item]

20", 1/3 HP, 115/230 volt, 2.0-4.0 Amps, 60 HZ, 1 phase, variable speed, 5,060 CCFM, 15.1 CCFM/Watt, 3.5 F(t) lb., 60 DB, 1,706 RPM, DD drive, 3 aluminum blades, 6' cord, white, fan guard, shipped with mounting bracket.

Order #: **55-VBG20** –sold as each

20" J&D EZ BREEZE HAF FAN W/CORD [special order item]

Quiet efficient aluminum propeller. Guard meets OSHA standards. Variable speed motor. Corrosion resistant white powder coated guards and brackets. Fan and guards come completely assembled. Prewired with 115V attached 6' cord and 3-prong plug.



Totally enclosed, maintenance free, direct drive high efficiency motors have completely sealed ball bearings, UL and ULC certification, built in automatic thermal overload protection, covered by a full two year warranty. 20", 1/10 HP, 115 volts, 0.5-1.0 Amps, 50/60 Amps, 1 phase, variable speed, 1220-3492 CCFM, 14-16 CCFM/watt, 600-1725 RPM, DD drive, 3 aluminum blade, 6' cord, white.

Order #: **55-VDB20G** –sold as each

SCHAEFFER

12" SCHAEFFER #VS12 HAF FAN

[special order item]

The Schaeffer 12" HAF fan has the airflow of most competitors' 20" fan.

Order #: **55-1200** –sold as each

20" SCHAEFFER #VS20 HAF FAN

Schaefer fans have a patented guard allowing for more airflow, with less restriction than typical 'basket' style fans. Schaefer fans are very quiet because they are smaller and less restrictive. Schaefer fans use totally enclosed, maintenance free farm duty motors. Schaefer fans come with a solid mount. A solid mount is important to the air pattern. If fans are hung with chains they can twist and sway creating a disruptive uneven air circulation pattern.

Order #: **55-0020** –sold as each

ACME

12" ACME #12A4 HAF FAN

[special order item]

Two blade HAF fan is inexpensive but makes a little more noise with higher RPM and just two blades.

Order #: **55-12A4** –sold as each




20" ACME #20 A4 HAF FAN [special order item]

Two blade HAF fan in wire cage to suspend from greenhouse frame with chains. Least expensive 20" HAF fan but makes more noise with just two blades.

Order #: **55-204** –sold as each

ACME FANJETS & ACCESSORIES



Fanjets do a great job of distributing heat through a convection tube evenly throughout the growing area. They also do a nice job of winder or stage I ventilation if

installed with a motorized shutter by the fanjet intake.

RC18E6 18" FANJET 1/4 HP, 115/230 VOLT

[special order item]

Order #: **55-18** –sold as each

HT18 HEAT ACCESSORY [special order item]

Metal box to focus heat from unit heaters into fanjet. Use with 18" fanjet to capture heat from unit heaters for fanjet to circulate through greenhouse.

Order #: **55-181** –sold as each

RH18 WEATHER HOOD [special order item]

Option to use with 18" fanjet to cover inlet shutters so wind can't blow straight in greenhouse through shutters and instead pulls from under hood.

Order #: **55-183** –sold as each

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

GREENHOUSES

COOLING & VENTILATION-CONVECTION TUBE



RC 24F FANJET 1/3 HP, 115/230 VOLT

[special order item]

Order #: 55-2442 –sold as each

HT24 HEAT ACCESSORY [special order item]

Use with 24" fanjet to capture heat from unit heaters into fanjet to circulate through greenhouse.

Order #: 55-245 –sold as each

RC30G FANJET 1/2HP, 115/230 VOLT

[special order item]

Order #: 55-301 –sold as each

HT30 30" HEAT ACCESSORY

[special order item]

Use with 30" fanjet to capture heat from unit heaters into fanjet to circulate through greenhouse

Order #: 55-300 –sold as each

PUNCHED CLEAR CONVECTION TUBE

Tubing to install on fanjets or blower type heaters to distribute air evenly through greenhouse space.

Stock tubes are punched for 90' to 100' applications.

It is best to custom punch the tube for shorter or longer tube installations. We can provide tubes in any length and punching needed. There is a 50' minimum on custom orders.

12" X 100' UV CONVECTION TUBE PUNCHED HRZ

Order #: 55-0120 –sold as roll

12" PUNCHED UV CONVECTION TUBE PER LINEAR FOOT-50 FT. MINIMUM

[special order item]

Order #: 55-0122 –per linear foot

18" X 100' UV CONVECTION TUBE PUNCHED HCA

Order #: 55-0180 –sold as roll

18" X 1500' PUNCHED CONVECTION TUBE [special order item]

Order #: 55-018150 –sold as roll

18" PUNCHED UV CONVECTION TUBE PER LINEAR FOOT-50 FT. MINIMUM

[special order item]

Order #: 55-0182 –per linear foot

24" X 100'UV CONVECTION TUBE PUNCHED HBP

Order #: 55-0240 –sold as roll

24" X 1500' PUNCHED CONVECTION TUBE [special order item]

Order #: 55-024150 –sold as roll

24" PUNCHED UV CONVECTION TUBE PER LINEAR FOOT-50 FT. MINIMUM

[special order item]

Order #: 55-0242 –per linear foot

30" X 100' UV CONVECTION TUBE PUNCHED HHS

Order #: 55-0300 –sold as roll

30" X 1500' PUNCHED CONVECTION TUBE [special order item]

Order #: 55-030015 –sold as roll

30" PUNCHED UV CONVECTION TUBE PER LINEAR FOOT-50 FT. MINIMUM

[special order item]

Order #: 55-0302 –per linear foot

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

UNPUNCHED CLEAR CONVECTION TUBE

Use unpunched tube to make air distribution headers to route air to punched runs or use unpunched tube to punch yourself for special applications.

12" X 100' UNPUNCHED UV CONVECTION TUBE [special order item]

Order #: 55-0121 –sold as roll

12" UNPUNCHED UV CONVECTION TUBE PER LINEAR FOOT-50 FT. MINIMUM [special order item]

Order #: 55-0123 –per linear foot

18" X 100' UNPUNCHED UV CONVECTION TUBE [special order item]

Order #: 55-0181 –sold as roll

18" UNPUNCHED UV CONVECTION TUBE PER LINEAR FOOT-50 FT. MINIMUM [special order item]

Order #: 55-0183 –per linear foot

24" X 100' UNPUNCHED UV CONVECTION TUBE [special order item]

Order #: 55-0241 –sold as roll

24" UNPUNCHED UV CONVECTION TUBE PER LINEAR FOOT-50 FT. MINIMUM [special order item]

Order #: 55-0243 –per linear foot

30" X 100' UNPUNCHED UV CONVECTION TUBE [special order item]

Order #: 55-0301 –sold as roll

30" UNPUNCHED UV CONVECTION TUBE PER LINEAR FOOT [special order item]

Order #: 55-0303 –per linear foot

CONVECTION TUBE ACCESSORIES

50' TUBE SUPPORT WIRE PACKAGE [special order item]

Order #: 55-0310 –sold as each

100' TUBE SUPPORT WIRE PACKAGE

Order #: 55-0311 –sold as each

150' TUBE SUPPORT WIRE PACKAGE

Order #: 55-0313 –sold as each

TUBE HANGERS & SNAP RINGS

Used to hang tubes without making holes in tube or creating air restrictions like hanging straps.

Order #: 55-0312 –10 per package

RC12-18 BANDING STRAP

To secure convection tube to 12" or 18" fanjet

Order #: 55-1218 –sold as each

RC24-30 BANDING STRAP

To secure convection tube to 24" or 30" fanjet

Order #: 55-2430 –sold as each

PORTABLE FANS

24" PREMIUM DRUM FAN 2 SPEED

Aluminum blade increases air flow and motor life. All metal construction. Toolless ergonomic tilt adjustment knobs. Light weight, large wheels and handles for easy transportation. 2-speed rotary switch. Quiet operation. 6'6" grounded 3-prong plug. Low maintenance. UL listed. Meets OSHA standards. Multi-purpose fan. Completely assembled. Totally enclosed, maintenance free, direct drive high efficiency motors have completely sealed ball bearings, built in automatic thermal overload protection, and are covered by a full one year warranty.

Order #: **55-PDF24** –sold as each



30" PREMIUM PEDESTAL FAN 1/3 HP

3-speed pull chain control. Powder coated corrosion resistant base and pole finish. Chrome plated adjustable insert pole. Aluminum blade increases air flow and motor life. Toolless ergonomic tilt adjustment knobs. 12' grounded 3-prong plug attached.

Order #: **55-PPHVF30** –sold as each



36" PORTABLE ALUMINUM DRUM FAN

Rubber stabilization feet. Balanced high-output fan blade. Unit comes completely assembled. Two poly handles for easy moving or carrying. Complete 10' cord set with switch and cord wrap. 8" hard poly wheels on models 30" and larger. Heavy gauge corrosion resistant, powder coated wire fan guards meet OSHA requirements. Heavy duty Aluminum Diamond Brite housings. Totally enclosed, maintenance free, high efficiency motors have completely sealed ball bearings, UL and ULC certification, built in automatic thermal overload protection, covered by a full two year warranty. 36", 1/2 HP, 115 volt, 7.0 Amps, 60 HZ, 1 Phase, 1 speed, 11800 CFM @ 0" sp, 22 CFM/watt @ 0" sp, 68 DB, 825 RPM, DD drive, 3-galvanized blade, 10' cord, diamond brite finish.

Order #: **55-VI3612WB** –sold as each



ACME ALUMINUM INLET SHUTTERS WITHOUT MOTORS



First dimension is full width and second dimension is full height. These shutters are rows of approximately 4" tall fins and they are built with a pivot point that requires a shutter motor to operate correctly to provide inlet air to your greenhouse. These shutters

are often used to cover a pad cooling system, provide inlet air to a fanjet or just to provide expanded ventilation or automatic "windows".

WAAC2626 SINGLE INLET SHUTTER

[special order item]

Order #: **55-2626** –sold as each

WAAC3333 SINGLE INLET SHUTTER

[special order item]

Order #: **55-3333** –sold as each

WAAC4040 SINGLE INLET SHUTTER

[special order item]

Order #: **55-4040** –sold as each

WAAC4052 SINGLE INLET SHUTTER

[special order item]

Order #: **55-4052** –sold as each

WAAC5250 DOUBLE INLET SHUTTER

[special order item]

Order #: **55-5250** –sold as each

WAAC 6318 DOUBLE INLET SHUTTER

[special order item]

Order #: **55-6318** –sold as each

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

WAAC6326 DOUBLE INLET SHUTTER

[special order item]
Order #: **55-6327** –sold as each

WAAC6340 DOUBLE INLET SHUTTER

[special order item]
Order #: **55-6340** –sold as each

WAAC6350 DOUBLE INLET SHUTTER

[special order item]
Order #: **55-WAAC6350** –sold as each

WAAC6352 DOUBLE INLET SHUTTER

[special order item]
Order #: **55-6352** –sold as each

WAAC6362 DOUBLE INLET SHUTTER

[special order item]
Order #: **55-WAAC6362** –sold as each

J&D ALUMINUM INLET SHUTTERS

High efficiency shutter with tie bar to eliminate shutter flapping. Powered aluminum intake shutters or for free-air exhaust. Nylon bearings; solid shafts; drawn cup-type sleeves on all movable linkage. Frame of heavy aluminum extrusion with 1/2" channel lock water stop. Corners are precision milled and welded for durability. Interlocking blades for maximum weather seal. Constructed with rigid "T" section center member. Dimensions are for shutter. Mounting flange adds about 2 1/2" to each dimension.



16" X 16" SINGLE INTAKE SHUTTER

Order #: **55-VRSG16A** –sold as each

20" X 20" SINGLE INTAKE SHUTTER

Order #: **55-VRSG20A** –sold as each

24" X 24" SINGLE INTAKE SHUTTER

Order #: **55-VRSG24A** –sold as each

30" X 30" SINGLE INTAKE SHUTTER

Order #: **55-VRSG30A** –sold as each

48" X 48" DOUBLE INTAKE SHUTTER

[special order item]
Order #: **55-VRSG48A** –sold as each

SHUTTER MOTORS

J&D SHUTTER MOTOR KIT

J&D Manufacturing's shutter motors are designed to turn any aluminum shutter into a powered or motorized shutter. Adaptable to aluminum shutters only. 115V. Kit fits 12"-60" shutters.
Order #: **55-VRSI260** –sold as each –without cord
Order #: **55-VRSI260C** –sold as each –with cord

ACME MKCAM 115V MOTOR & LINKAGE

Acme shutter motor kit with shutter motor MKCAM to mount on motor shaft and spring to go from MKCAM to shutter. Works on single or double shutters although motor burns out more quickly on larger double panel shutters. 115 volt.
Order #: **55-115** –sold as each

ACME HEAVY DUTY 115V MKCAM-C-HD

Heavy duty version of standard Acme MKCAM motor. This model is a good choice for larger double panel aluminum shutters.
Order #: **55-1151** –sold as each

K&M HEAVY DUTY SHUTTER MOTOR W/ THREADED SHAFT

Our heaviest duty shutter motor mounts below or above the shutter and uses cable winding and unwinding around round pulley to open or close aluminum shutters. Handles shutters with ease.
Order #: **55-1558551** –sold as each

ACME MKCAM 24-V SHUTTER MOTOR & LINKAGE [special order item]

Acme standard MKCAM shutter motor kit for 24 volt power.
Order #: **55-241** –sold as each

ACME MKCAM 230V MOTOR & LINKAGE

[special order item]

Acme standard MKCAM shutter motor kit for 230 volt power.

Order #: **55-230** –sold as each

ACME HEAVY DUTY 230V MKCAM-C-HD

[special order item]

Heavy duty Acme shutter motor kit for 230 volt power. Good choice for double panel shutters.

Order #: **55-2301** –sold as each

ACME REPLACEMENT DAMPER MOTOR ONLY 115V

Acme replacement shutter motor for 115v power assuming you can reuse MKCAM and linkage.

Order #: **57-1424** –sold as each

ACME MKCAM-C L/M-I LINKAGE ONLY

[special order item]

Acme replacement linkage or spring only to go from MKCAM on motor to shutter.

Order #: **55-11515** –sold as each

WADSWORTH RACK & PINION VENT MOTORS ON VC 100 A VENT DRIVE UNITS

FOR 1 3/8" SHAFT

VC-100A/ILS/LST DRIVE UNIT F/ 1 3/8"

SHAFT [special order item]

Vent operation with new internal limit switches w/o control unit

Order #: **55-M1042** –sold as each

VC-100A/LST DRIVE UNIT F/ 1 3/8" SHAFT

Vent operation with original style external limits

Order #: **55-01000** –sold as each

FOR 1 5/8" SHAFT

VC 100A/2R VENT CONTROLS F/ 1 5/8" SHAFT [special order item]

Vent operation with original style external limits

Order #: **55-1026** –sold as each

VC 100 VENT DRIVE PARTS

VC-100A ILS GEAR BOX [special order item]

For use with internal limits

Order #: **55-1025** –sold as each

VC-100A REPLACEMENT GEAR BOX

[special order item]

For use with external limits

Order #: **55-01001** –sold as each

VC 2000 VENT DRIVE PARTS

VC2000 1.2 RPM REPLACEMENT GEAR MOTOR [special order item]

For internal limits

Order #: **55-1100** –sold as each

VC2000 ILS 3 RPM REPLACEMENT GEAR MOTOR [special order item]

For internal limits

Order #: **55-1150** –sold as each

VC2000 ILC VENT GEAR BOX 1.2 RPM [special order item]

For use with internal limits

Order #: **55-1084** –sold as each

VC2000 ILS 3 RPM GEAR BOX [special order item]

For internal limits

Order #: **55-11501** –sold as each

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

VC2000 GEAR BOX [special order item]

For external limits

Order #: **55-1105** –sold as each

**CONTROL PANELS FOR VCI00/
VC2000 VENT DRIVE UNITS**

LST LEAD VENT CONTROL PANEL

[special order item]

For drive unit with external limits

Order #: **55-1037** –sold as each

**INCREMENTAL LEAD VENT CONTROL
PANEL** [special order item]

For drive unit with external limits

Order #: **55-1045** –sold as each

VC-100A 2R FOLLOWER VENT CONTROLS

[special order item]

For drive unit with external controls

Order #: **55-1047** –sold as each

2R FOLLOWER (SLAVE) VENT CONTROL

[special order item]

Use with internal limit drive units

Order #: **554111** –sold as each

VC 2000 VENT DRIVE UNITS

FOR 1 3/8" SHAFT

VC2000/ILS 1.2 RPM F/INTERNAL LIMITS

[special order item]

vent operation with new internal limit switches w/o control panel

Order #: **55-2804** –sold as each

VC2000/ILS DRIVE UNIT 3 RPM

[special order item]

Vent operation with new internal limit switches w/o control panel

Order #: **554013** –sold as each

**VC2000 DRIVE UNIT 1.2 RPM F/EXTERNAL
LIMITS** [special order item]

Vent operation with original style external limits w/o control panel

Order #: **55-0618** –sold as each

FOR 1 5/8" SHAFTS

**VC 2000/ILS 1.2 RPM DRIVE UNIT F/
INTERNAL LIMITS** [special order item]

Vent operation with new internal limit switches w/o control panel

Order #: **55-M1147** –sold as each

**VC2000/ILS DRIVE UNIT 3 RPM F/
INTERNAL LIMITS** [special order item]

Vent operation with new internal limit switches w/o control panel

Order #: **55434** –sold as each

**VC2000/DRIVE UNIT 1.2 RPM F/EXTERNAL
LIMITS** [special order item]

Vent operation with original style external limits w/o control panel

Order #: **55-104** –sold as each

WADSWORTH RACK & PINIONS

Aluminum Rack and Pinion Features: Zinc pinion gear with shoulders to bear the weight and extend the life of the gear. To extend life even further, lubricate once a year with Magna Lube, White Lithium Grease or a graphite-based spray lubricant. Wide housing allows for unavoidable movement in the vents. Unique design prevents binding. Easy alignment: racks work even when the vent is not perfectly square. Freedom from corrosion: stainless clevis pins, cotter pins, set screws, cast sash brackets and tough Nylatron bearings. Precision-cut teeth on the PowerRack arms minimize sharp edges, assuring smooth operation. Holes in the pinion housing are punched with a stamping tool to maintain exact spacing. The PowerRack arm and housing are manufactured from aluminum alloy for strength and freedom from corrosion. Wide load-bearing surfaces. Replaceable parts.

RACK & PINIONS F/ I 3/8" OD SHAFT

WADSWORTH PINION F/I 3/8" O.D. SHAFT [special order item]

Order #: **55-2814** –sold as each

I 3/8" SHAFT COUPLERS F-0909

[special order item]

Fits over outside of 2 joints of I 3/8" shaft and bolts around pipes to create I long shaft

Order #: **55-909** –sold as each

SHAFT HANGER F/I 3/8" SHAFT

[special order item]

Order #: **5544** –sold as each

53" POWER RACK & PINION I 3/8" OD

[special order item]

Order #: **55-M2653** –sold as each

53" CURVED POWER RACK & PINION I

3/8" O.D. [special order item]

Order #: **55-M2853** –sold as each

ALUMINUM PINION WADSWORTH I 3/8"

[special order item]

Order #: **55-S2810** –sold as each

WADSWORTH I 3/8" PINION BEARING

[special order item]

Order #: **55-H0741** –sold as each

RACK & PINIONS F/ I 5/8" OD SHAFT

WADSWORTH PINION F/I 5/8" OD SHAFT

[special order item]

Order #: **55-2816** –sold as each

I 5/8" SHAFT COUPLERS #F-0902

[special order item]

Fits over outside of 2 joints of I 5/8" shaft and bolts around pipes to create I long shaft

Order #: **55435** –sold as each

SHAFT HANGER F/I 5/8" SHAFT

[special order item]

Order #: **55-S2808** –sold as each

53" POWER RACK & PINION I 5/8" OD

[special order item]

Order #: **55-M2753** –sold as each

53" CURVED POWER RACK & PINION I

5/8" OD [special order item]

Order #: **55-M2953** –sold as each

ALUMINUM PINION WADSWORTH I 5/8"

[special order item]

Order #: **55-S2812** –sold as each

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

WADSWORTH 1 5/8" PINION BEARING

[special order item]

Order #: **55-H0740** –sold as each

ELERO VENT "BOX" MOTORS

Used to operate small rack and pinion vent systems or small overhead motorized shade curtain systems. Not well suited for system with lots of opening and closing as motor can overheat in heavy use.

ELERO EUROPEAN MOTOR 115 VOLT

Nominal voltage: 120V-60HZ; Amperage: 2.6 Amps; Input power: 200 watts; Intermittent operation only: 5 minutes on-30 minutes off; Limit switch capacity: 21 turns; Nominal torque: 404.8 in. lbs. (60NM); Nominal speed: 11.5 rpm.

Order #: **55-01151** –sold as each

ELERO EUROPEAN MOTOR 220V

[special order item]

Nominal voltage: 220V-60HZ; Amperage: 2.2 Amps; Input power: 500 watts; Intermittent operation only: 5 minutes on-30 minutes off; Limit switch capacity: 21 turns; Nominal torque: 528 in. lbs. (60NM); Nominal speed: 11.5 rpm.

Order #: **55-2201** –sold as each

NON ELECTRIC VENT OPENER

BAYLISS MK7 AUTOVENT

Designed for aluminum or timber framed vents measuring up to 2 ft. square lifting a load of up to 14 lbs. Provides a maximum opening distance of 12 inches and can be set to start opening at approximately 55 degrees F. Supplied with mounting kit and instructions. The standard Mk7 autovent is supplied in a satin anodized finish. Fluid inside piston expands and contracts based on temperature to provide opening power.

Order #: **55-7** –sold as each



MANUAL ROOF VENTS

24" X 59" ALUMINUM ROOF & GABLE VENT

Assembled retrofit vent frame to install on hobby or commercial greenhouse frame with clamps. Glaze with plastic film or polygal.

Order #: **50-2459** –sold as each

1.315" PIPE VENT CLAMP-BAG OF 4 CLAMPS

To install roof and gable vent to greenhouse frame of 1.315" pipe

Order #: **55-1315** –4 per bag

1.66" PIPE VENT CLAMP-BAG OF 4

To install roof and gable vent to greenhouse frame of 1.66" pipe

Order #: **55-166** –4 per bag

ROLLUP WALL ACCESSORIES

MANUAL SIDEWALL CRANK 4:1 RATIO

Kankit NS104 to manually operate DIY rollup walls to 1.5 meters tall. Set for 22mm (1/2" tube) with adaptors for 19mm and 27mm (3/4" tube) included. Larger pipe shafts will require homemade adaptors.

Order #: **55-NS104** –sold as each

HEAVY DUTY SPRING HOOK F/ROPE

Hook fits in vinnipet wiggle wire track and supports retainer rope to guide homemade rollup sidewalls.

Order #: **51-HD515** –sold as each

1 CMX300M PLASTIC RETAINER ROPE

Plastic rope to strap from eave to baseboard to contain your rollup wall.

Order #: **51-13001559** –per roll

1.315" PLASTIC ROLLUP PIPE CLAMPS

Black plastic clamp about 4" long to snap over plastic film on 1.315" shaft.

Order #: **51-1315** –sold as each

POLYVENT ACCESSORIES

AIR TRANSFER GASKET F/CONNECTING HOSE TO POLYVENT AIR TUBE WALLS

Order #: 55-90 –sold as each

BACK UP BLOWER SYSTEM F/POLYVENT II (OPEN/CLOSE POLYVENT AIR TUBE WALL) [special order item]

The back-up blower system will keep your Poly-Vent system inflated in the unlikely event of a power outage. Includes adapter plate, control box, DC blower, battery charger w/auto shut off (12 volt battery is not included).

Order #: 55-9900 –sold as each

BACK UP BLOWER SYSTEM F/POLYVENT III (TWO STAGE POLYVENT AIR TUBE WALL) [special order item]

Order #: 55-9901 –sold as each

6" MiT EDGE CELDEK PADS

Munters fluted cardboard cellulose cooling pad with special preservatives and light tar coating on inlet side to allow light cleaning.

6" X 12" X 24" CELDEK PADS

Order #: 55-61224 –sold as each

6" X 12" X 36" CELDEK PADS

Order #: 55-61236 –sold as each

6" X 12" X 48" CELDEK PADS

Order #: 55-61248 –sold as each

6" X 12" X 60" CELDEK PADS

Order #: 55-61260 –sold as each

2" X 6" X 60" CEL-DEK SPREADER PAD

[special order item]

Order #: 55-2660 –sold as each

4" MiT EDGE KOOL CEL PADS

Munters fluted cardboard cellulose cooling pad with special preservatives and light tar coating on inlet side to allow light cleaning.

4" X 12" X 24" KOOL-CELL PADS

Order #: 55-41224 –sold as each

4" X 12" X 36" KOOL-CELL PADS

Order #: 55-41236 –sold as each

4" X 12" X 48" KOOL-CELL PADS

Order #: 55-41248 –sold as each

4" X 12" X 60" KOOL-CEL PADS

Order #: 55-41260 –sold as each

4" X 12" X 72" KOOL-CEL PADS

Order #: 55-41272 –sold as each

2" PAD MEDIA

36" X 24' EXCELSIOR COOLING PAD ROLL

[special order item]

Roll of old fashioned poplar/excelsior fiber in mesh netting to use as cooling pad. Must be installed in ware frame or some other kind of frame to physically support these pads.

Order #: 55-3624 –per roll

3' X 34' AQUACEL PLUS PAD ROLL

Order #: 55-340 –per roll

2" X 24" X 48" MI-T FOG PADS

[special order item]

Order #: 55-21248 –sold as each

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

PAD SYSTEM ACCESSORIES

“NEW STYLE” TALL PAD RETAINER

Suggested to use to reinforce one part 4” thick Koolcel pads of 5’ or taller or any time you use 2 pads stacked on top of each other in a single pad opening.

Order #: **55-2006** –sold as each

6” STAINLESS STEEL ACME DISTRIBUTION & RETURN SYSTEMS

Every system requires basic kit with downspout and gutter ends, etc. Complete rest of system with regular kits.

PDR-6 5’ BASIC S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-905** –sold as each

PDR-6 6’ BASIC S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-0606** –sold as each

PDR-6 7’ BASIC S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-0607** –sold as each

PDR-6 8’ BASIC S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-0908** –sold as each

PDR-6 10’ BASIC S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-611** –sold as each

PDR-6 5’ REGULAR S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-0605** –sold as each

PDR-6 10’ REGULAR S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-0610** –sold as each

4” STAINLESS STEEL DISTRIBUTION & RETURN SYSTEMS

Every system requires one basic kit with downspout, gutter ends, etc. Complete rest of system with regular kits.

PDR-4 5’ BASIC S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-7051** –sold as each

PDR-4 6’ BASIC S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-706** –sold as each

PDR-4 7’ BASIC S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-507** –sold as each

PDR-4 8’ BASIC S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-008** –sold as each

PDR-4 9’ BASIC S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-709** –sold as each

PDR-4 10’ BASIC S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-711** –sold as each

PDR-4 5' REGULAR S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-705** –sold as each

PDR-4 10' REGULAR S.S. DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-710** –sold as each

ACME STAINLESS STEEL **END CLOSURE PLATES**

To seal both ends of PDR pad distribution systems. Same systems work for either 4" or 6" wide pad systems. Each set has two ends to seal one system.

2' S.S. END CLOSURE PDR-4/6 [special order item]

Order #: **55-712** –sold as set

3' S.S. END CLOSURE PDR-4/6 [special order item]

Order #: **55-713** –sold as set

4' S.S. END CLOSURE PDR-4/6 [special order item]

Order #: **55-714** –sold as set

5' S.S. END CLOSURE PDR-4/6 [special order item]

Order #: **55-715** –sold as set

6' S.S. END CLOSURE PDR-4/6 [special order item]

Order #: **55-716** –sold as set

6" ALUMINUM **DISTRIBUTION & RETURN SYSTEM**

Each aluminum system requires one basic kit with downspout, gutter ends, etc. Complete rest of system with regular kits. For odd lengths, aluminum cuts easily. Cut nearest 5' or 10' down to desired length.

5' BASIC 6" DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-056** –sold as each

10' BASIC 6" DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-65** –sold as each

10' REG 6" DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-610** –sold as each

4" ALUMINUM **DISTRIBUTION & RETURN SYSTEMS**

Each aluminum system requires one basic kit with downspout, gutter ends, etc. Complete rest of system with regular kits. For odd lengths, aluminum cuts easily. Cut nearest 5' or 10' down to desired length.

10' BASIC 4" DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-10** –sold as each

10' REGULAR 4" DISTRIBUTION & RETURN SYSTEM [special order item]

Order #: **55-11** –sold as each

To Order Call: 405.787.4833 or 1.800.522.3376
Prices subject to change without notice

ACME PAD COOLING SYSTEM ACCESSORIES

PLUMBING COMPLETER KIT 32#

[special order item]

Includes filter, on/off valve and basic plumbing parts from sump tank to top of pad system

Order #: **55-2000** –sold as each

ROJO FLOAT VALVE 3/4" -3GPM

Float valve for low or normal flow systems

Order #: **55-517397** –sold as each

TOPAZ TROUGH VALVE 3/4" -50GPM

[special order item]

Float valve for high volume systems

Order #: **55-517396** –sold as each

"L" FILTERS & ACCESSORIES

PVC body filters with clear bowl so you can view 140 mesh screen. Used to filter water going to cooling pad systems, before injectors or other applications where you would need a basic screen filter. "L" bodies were used on older Acme cooling system with the inlet and outlet at 90 degree angle to each other while the newer Acme cooling systems use the "T" body with inlet and outlets straight across from each other.

1 1/2" 60 GPM "L" 90 DEGREES FILTER

Was standard on older Koolcel pad systems

Order #: **55-15024** –sold as each

1 1/2" REPLACEMENT CLEAR "L" FILTER COVER BOWL

Order #: **55-60** –sold as each

1 1/2" REPLACEMENT PVC "L" FILTER INSERT SCREEN-140 MESH

Order #: **55-6024** –sold as each

"O" RING KIT-FOR 1 1/2" "L" OR "T" FILTER

Order #: **55-6051** –sold as set

"T" FILTERS & ACCESSORIES

1 1/2" CLEAR 60 GPM "T" FILTER WITH 24 MESH SCREEN

Often used as mixing bowl in small fertilizer injection systems

Order #: **55-6025** –sold as each

1 1/2" CLEAR "T" FILTER WITH 140 MESH SCREEN [special order item]

Used on newer Koolcel pad systems

Order #: **55-NT150** –sold as each

1 1/2" REPLACEMENT CLEAR "T" FILTER COVER BOWL

Order #: **55-6053** –sold as each

1 1/2" REPLACEMENT PVC "T" FILTER IN- INSERT SCREEN-140 MESH

Order #: **55-6054** –sold as each

STOCK TANKS & LIDS

Often used as sump tanks for greenhouse pad cooling system to recycle water through pad system or as water holding tanks for ebb and flood benching.

50 GALLON RUBBERMAID STOCK TANK

Black plastic resin tank-12" deep, 2' wide and 4' long

Order #: **55-50** –sold as each

70 GALLON RUBBERMAID STOCK TANK

Black plastic resin oval tank-2' deep, 2' wide and 3' long

Order #: **55-70** –sold as each

70 GALLON 2 PART LID FOR STOCK TANKS

Black 2 part overlapping fiberglass lid for Rubbermaid stock tank
Order #: **56-70** –sold as each

100 GALLON RUBBERMAID STOCK TANK

Black plastic resin oval tank-2' deep, 2' wide and 4' long
Order #: **55-101151** –sold as each

100 GALLON 2 PART LID FOR STOCK TANKS

Black 2 part overlapping fiberglass lid for medium Rubbermaid stock tanks
Order #: **56-0100** –sold as each

150 GALLON RUBBERMAID STOCK TANK

Black plastic resin oval tank-2' deep, 3' wide and 4' long
Order #: **55-10116** –sold as each

150 GALLON 2 PART LID FOR STOCK TANKS

Black 2 part overlapping fiberglass lid for large Rubbermaid stock tank
Order #: **56-0150** –sold as each

300 GALLON RUBBERMAID STOCK TANK

[special order item]
Black plastic resin round tank-2' deep and 6' in diameter
Order #: **55-300-1** –sold as each

VERTICAL TANKS WITH LIDS

Translucent white polyethylene tanks often used for fertilizer or chemical solution tanks or for sump tanks on small pad cooling systems.

29 GALLON POLY TANK W/LID

[special order item]
Order #: **55-10111** –sold as each

37 GALLON POLY TANK W/LID

Order #: **55-10112** –sold as each

52 GALLON POLY TANK W/LID

[special order item]
Order #: **55-10113** –sold as each

SUBMERSIBLE PUMPS

P-AAA LITTLE GIANT #523003 115 VOLT

[special order item]
1/160 HP, 70 gph at 3' lift, 6' cord
Order #: **55-468100** –sold as each

#1 LITTLE GIANT #501003 115 VOLT

[special order item]
1/150 HP, 168 gph at 3' lift, 120 gph at 5' lift, 6' cord
Order #: **55-468116** –sold as each

2E-38N LITTLE GIANT #502203 115 VOLT

[special order item]
1/40 HP, 250 gph at 3' lift, 205 gph at 5' lift, 70 gph at 10' lift, 6' cord
Order #: **55-502203** –sold as each

NK2-LITTLE GIANT #527003 115 VOLT

[special order item]
1/40 HP, 300 gph at 3' lift, 270 gph at 5' lift, 130 gph at 10' lift, 6' cord
Order #: **55-527003** –sold as each

3E-12N LITTLE GIANT #503103 115 VOLT

[special order item]
1/15 HP, 435 gph at 3' lift, 337 gph at 5' lift, 210 gph at 10' lift, 6' cord
Order #: **55-468140** –sold as each

3E-12R LITTLE GIANT #503003 115 VOLT

[special order item]
1/15 HP, 510 gph at 3' lift, 490 gph at 5' lift, 450 gph at 10' lift, 6' cord
Order #: **55-503003** –sold as each

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

PES-700-PW LITTLE GIANT #566720 115

VOLT [special order item]

Operates submersed or in line; 575 gph at 3' lift, 475 gph at 5' lift, 15' cord

Order #: **55-566076** –sold as each

3E-12NR LITTLE GIANT #503203 115 VOLT

[special order item]

1/15 HP, 650 gph at 3' lift, 575 gph at 5' lift, 460 gph at 10' lift, 6' cord

Order #: **55-503203** –sold as each

WF-700 BECKETT 115 VOLT

779 gph small waterfall, extra large fountain pump, 16' cord

Order #: **55-7098410** –sold as each

4E-34NR LITTLE GIANT #504203 115 VOLT

[special order item]

1/12 HP, 790 gph at 3' lift, 745 gph at 5' lift, 613 gph at 10' lift, 6' cord

Order #: **55-504203** –sold as each

5-MSP-LITTLE GIANT #505375 115 VOLT

Use as sump pump for pad systems under 20' in length; 1/6 HP, 1170 gph at 3' lift, 1100 gph at 5' lift, 1000 gph at 10' lift, 15' cord

Order #: **55-505000** –sold as each

6-CIM-R LITTLE GIANT #506271 115 VOLT

Use as sump pump for pad systems under 40' in length; .3 HP, 2750 gph at 5' lift, 1750 gph at 10' lift, 10' cord

Order #: **55-506250** –sold as each

8-CIM LITTLE GIANT #508057 115 VOLT

Use as sump pump for pad systems under 60' in length; .4 HP, 3250 gph at 5' lift, 2500 gph at 10' lift, 10' cord

Order #: **55-508055** –sold as each

10-CIM LITTLE GIANT #510055 115 VOLT

[special order item]

Use as sump pump for pad systems up to 80' in length; 1/2 HP, 4200 gph at 5' lift, 3800 gph at 10' lift, 10' cord

Order #: **55-510055** –sold as each

GREENHOUSE HUMIDIFIERS

500U HERRMIDIFIER/HUMIDIFIER



Model 500U Humidification System incorporates all of the features so necessary to properly humidify. Included with this unit are all the components essential to a simple do-it-yourself installation. To assure proper humidity at all times, a

wall humidistat, which automatically controls the proper level of relative humidity, is packaged with the system.

Order #: **56-5005** –sold as each

SIDEDRAFT
EVAPORATIVE COOLERS

N28W EVAPORATIVE COOLER 2800 CFM



[special order item]

2800 CFM. Cools 100-150 square feet of greenhouse. Corrosion-resistant bolted construction. Durable polyester powder-coated exterior and interior finish. 1/8 HP, direct drive 2 speed motor. Fully assembled and ready to install. Includes installation kit and window filler panels. 8 year

limited warranty on cabinet against leakage due to rust out/1 year limited warranty on parts. UL listed. Made in the USA.

Order #: **55-N28W** –sold as each

N37W EVAPORATIVE COOLER 3300 CFM

3700 CFM. Cools 150-200 square feet of greenhouse. Convertible grill fits in casement windows. Corrosion-resistant bolted construction. Durable polyester powder-coated exterior and interior finish. Fully assembled and ready to install. 1/3 HP, 2 speed motor. 8 year limited warranty on cabinet against leakage due to rust out/1 year limited warranty on parts. UL listed. Made in the USA.

Order #: **55-N35W** –sold as each

N46W EVAP COOLER 4200 CFM

[special order item]

4200 CFM. Cools 175-250 square feet of greenhouse. Convertible grill fits in casement windows. Corrosion-resistant bolted construction. Durable polyester powder-coated exterior and interior finish. Fully assembled and ready to install. 1/3 HP, 2 speed motor. 8 year limited warranty on cabinet against leakage due to rust out/1 year limited warranty on parts. UL listed. Made in the USA.

Order #: **55-N46W** –sold as each



N50W EVAPORATIVE COOLER 5000 CFM

5000 CFM. Cools 200-300 square feet of greenhouse. Convertible grill fits in casement windows. Corrosion-resistant bolted construction. Durable polyester powder-coated exterior and interior finish. Fully assembled and ready to install. 1/2 HP 2 speed motor. 8 year limited warranty on cabinet against leakage due to rust out/1 year limited warranty on parts. UL listed. Made in the USA.

Order #: **55-N50W** –sold as each



PENGUIN 1116 SIDEDRAFT COOLER 12,630 CFM [special order item]

Rust-free PVC louvers. High performance rigid evaporative media. Compact size. 1 year limited warranty on cabinet against leakage due to rust/out/limited lifetime warranty on plastic reservoir/2 year limited warranty on media/1 year limited warranty on parts. UL classified. Made in the USA. Series 3W/3 HP motor, pulley, belt.

Order #: **55-1116** –sold as each

DOWNDRAFT EVAPORATIVE COOLERS

CD 11/16 ESSICK EVAPORATIVE COOLER 13,270 CFM [special order item]



Solid blower shaft for added strength. Self-aligning bearings for efficient, quiet operation. Easy-to-adjust water trough. Patented grip-lock filter pad holder. Easy-to-remove louvers. Strong supportive pillow block bearings. 5 year limited warranty on cabinet against leakage due to rust out/1 year limited warranty on parts. UL classified. Made in the USA.

Order #: **55-CD1116** –sold as each

CK 6618D-2 ESSICK EVAPORATIVE COOLER 4950 CFM

3/4 HP motor on blower provides 4950 CFM at 0.0 static pressure

Order #: **550101** –sold as each

N43/48D EVAPORATIVE COOLER 4800 CFM

Down draft model. 4300/4800 CFM. Cools 125-200 square feet of greenhouse. Durable polyester powder-coated exterior and interior finish. Corrosion-resistant bolted construction for easy parts replacement. Quiet blower wheel operation. 8 year limited warranty on cabinet against leakage due to rust out 1 year limited warranty on parts. UL classified. Made in the USA.

Order #: **550111** –sold as each

EVAPORATIVE COOLER **ACCESSORIES**

EVAPORATIVE COOLER REPLACEMENT 115 V CONCENTRIC PUMP

Essick/Champion plastic body pump for use in coolers with reservoirs 1/2" to 4" in depth and for cooler with CFM ratings for 12,000 to 21,000. Use with 5/8" or 3/4" ID pump hose.

Order #: **30-110467** –sold as each

EVAPORATIVE COOLER REPLACEMENT FLOAT VALVE [special order item]

Small plastic float on rod extending from water on-off valve used as universal float valve replacement on evaporative coolers.

Order #: **57-66** –sold as each

EVAPORATIVE COOLER ROTARY WALL SWITCH

Switch to mount on wall to remotely control blower speed and on/off for evaporative cooler.

Order #: **55-60991** –sold as each

PAD CLEANING SOLUTION

AQUA CEL PAD CLEANING SOLUTION

Use to help remove calcium and other salt buildups from Aquacel cooling pads

Order #: **46-0063** –qt. bottle