

## TABLE OF CONTENTS—GREENHOUSES—GLAZING & SHADE

### GLAZING & SHADE

Polycarbonate Twinwall Panels	<b>127</b>	Corrugated Single Wall	
Polycarbonate Triplewall Panels	<b>128</b>	Acrylic Panels	<b>136</b>
Acrylic Twinwall Panels	<b>128</b>	Sealing Foam	<b>136</b>
Extrusions		Fasteners for Corrugated Glazing	<b>137</b>
Gasketed 2 Part Aluminum	<b>129</b>	Glass Caulks	<b>137</b>
Non-Gasketed 2 Part		Tufflite	
Aluminum	<b>130</b>	Infrared Greenhouse Film	<b>138</b>
2 Part Polycarbonate	<b>131</b>	Tufflite IV Greenhouse Film	<b>139</b>
Non-Gasketed 1 Part		Nursery Clear Greenhouse Film	<b>140</b>
Aluminum	<b>131</b>	Copolymer Greenhouse Film	<b>141</b>
1 Part Polycarbonate	<b>131</b>	Black Nursery Film	<b>141</b>
Specialty Aluminum	<b>131</b>	Inflation Fans & Accessories	<b>141</b>
Extrusion Cap Screws	<b>132</b>	Inflation Jumper Kits & Tube	<b>142</b>
Twinwall Installation Tapes	<b>132</b>	Poly Patch Repair Tape	<b>143</b>
Accessories For Twinwall Sheets	<b>133</b>	Wiggle Wire Systems	<b>143</b>
Screws		Poly Fastening Extrusions	<b>143</b>
Self Drilling With Washers	<b>133</b>	Aluminet Shade Fabric	<b>144</b>
Self Drilling Without Washers	<b>133</b>	Woven Polypropylene Shade	<b>145</b>
Stainless Steel Self Drilling	<b>134</b>	Knitted Shade	<b>145</b>
Tapered Point (Tapping) Screws		Shade Cloth Accessories	<b>146</b>
With Washers	<b>134</b>	Shade Compound	<b>146</b>
Tapered Point (Tapping) Screws	<b>134</b>	Row Cover	<b>147</b>
Silicone Caulk	<b>135</b>	Mulch Film	<b>148</b>
Polyurethane Caulk	<b>135</b>	Wall O' Water	<b>149</b>
Cutting Tools for Polygal Sheets	<b>135</b>	Hot Kaps	<b>149</b>
Corrugated Polycarbonate		Insect Screens & Brushes	<b>149</b>
Box Ribbed Panels	<b>135</b>	Foam Tape Rolls	<b>150</b>

**POLYCARBONATE TWINWALL  
PANELS—POLYGAL**

Designed especially for greenhouses, Polygal's advanced multi-wall sheets provide the best thermal insulation of any greenhouse covering material. Polygal sheets save significantly on heating expenses, scale-down heating system requirements and provide lower heat-transfer coefficient. Polygal's advanced Anti-Fog coating provides the most effective long term protection against condensation drip damage. Polygal sheets transmit light better than other greenhouse materials and make a critical difference in crop yields. Polygal sheets are backed by a 10 year warranty against light transmission reduction, yellowing and hail damage.

Standard widths are 4' and 6' wide and material can be special ordered and shipped in lengths from 1' long to 39' long.

**8MM TWINWALL  
POLYCARBONATE PANELS**

Approximately 1/4" thick

**8MM CLEAR TWINWALL PER SQ. FT.**

80% light transmission, 0.58 U factor  
Order #: **51-01** –special sizes –per square foot

**8MM BRONZE TWINWALL PER SQ. FT.**

42 % light transmission, 0.58 U factor  
Order #: **51-018** –special sizes –per square foot

**8MM OPAL (LIGHT WHITE) TWINWALL  
PER SQ. FT.**

32% light transmission, 0.58 U factor  
Order #: **51-0185** –special sizes –per square foot

**IR SPRING TWINWALL PER SQ. FT.**

70% light transmission, 0.58 U factor  
Order #: **51-0814** –special sizes –per square foot

**PRIMALITE PEARL**

40 % light transmission, 0.58 U factor  
Order #: **51-08PPL** –special sizes –per square foot

**POLYSHADE SILVER**

18 % light transmission, 0.58 U factor  
Order #: **51-08PSF** –special sizes –per square foot

**POLYCOOLITE OPAL**

45 % light transmission, 0.58 U factor  
Order #: **51-0816** –special sizes –per square foot

**4' WIDE STOCK PANELS**

**4' X 8' 8MM CLEAR TWINWALL**

Order #: **51-408** –per panel

**4' X 10' 8MM CLEAR TWINWALL**

Order #: **51-410** –per panel

**4' X 12' 8MM CLEAR TWINWALL**

Order #: **51-412** –per panel

**6' WIDE STOCK PANELS**

**6' X 8' 8MM CLEAR TWINWALL**

Order #: **51-6080** –per panel

**6' X 10' 8MM CLEAR TWINWALL**

Order #: **51-610** –per panel

**6' X 12' 8MM CLEAR TWINWALL**

Order #: **51-612** –per panel

## 6' X 15' 8MM CLEAR TWINWALL

Order #: 51-615 –per panel

## 6' X 18'10" 8MM CLEAR TWINWALL

Order #: 51-61810 –per panel

## 6' X 20' 8MM CLEAR TWINWALL

Order #: 5141203 –per panel

## 6' X 22'10" 8MM CLEAR TWINWALL

Order #: 51-61811 –per panel

## 6' X 24' 8MM CLEAR TWINWALL

Order #: 5140111 –per panel

## 8 MM TRIPLEWALL

Approximately 1/4" thick

## 8MM CLEAR TRIPLEWALL PER SQ. FT.

77% light transmission, 0.50 U factor

Order #: 51-0819 –special sizes –per square foot

## 6' X 24' 8MM CLEAR TRIPLEWALL

Order #: 5149 –per panel

## ACRYLIC TWINWALL PANELS

Evonik Deglass47 1/4" wide acrylic impact modified panels-give 4' of coverage when installed in extrusions. Available in special order lengths from 1' to 36' long.

## 8MM TWINWALL-ACRYLIC PANELS

Approximately 1/4" thick

## 8MM CLEAR TWINWALL ACRYLIC PANEL PER SQ FT

84% light transmission, 0.56 U value

Order #: 52-01194 –special sizes –per square foot

## 8MM LIGHT WHITE TWINWALL ACRYLIC PANEL PER SQ FT

70% light transmission, 0.56 U value

Order #: 52-06311 –special sizes –per square foot

## 10' LONG CLEAR 8MM ACRYLIC PANEL 47 1/4" WIDE

Order #: 51-70030 –per panel

## 12' LONG CLEAR 8MM ACRYLIC PANEL 47 1/4" WIDE

Order #: 51-70029 –per panel

## 14' LONG CLEAR 8MM ACRYLIC PANEL 47 1/4" WIDE

Order #: 51-70014 –per panel

## 17' LONG CLEAR 8MM ACRYLIC PANEL 47 1/4" WIDE

Order #: 51-70017 –per panel

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

### **16MM TWINWALL-ACRYLIC PANELS**

Approximately 1/2" thick; 32 mm between ribs except as noted

#### **16 MM CLEAR ACRYLIC PANEL PER SQ FT**

86% light transmission, 0.49 U value

Order #: **52-01192** –special sizes –per square foot

#### **16MM LIGHT WHITE ACRYLIC PANEL PER SQ FT**

74% light transmission, 0.49 U value

Order #: **52-06312** –special sizes –per square foot

#### **16MM BRONZE ACRYLIC PANEL PER SQ FT**

53% light transmission, 0.49 U value

Order #: **52-4348** –special sizes –per square foot

#### **16MM THICK SOLAR COOL WHITE ACRYLIC PANEL PER SQ FT**

37% light transmission, 0.49 U value

Order #: **52-0151** –special sizes –per square foot

#### **16MM HEATSTOP PEARL ACRYLIC PANEL PER SQ FT**

50% light transmission, 0.49 U value

Order #: **52-0840** –special sizes –per square foot

#### **16MM THICK 96MM BETWEEN RIBS HIGHLUX CLEAR ACRYLIC PANEL PER SQ FT**

87% light transmission, 0.49 U value

Order #: **52-01193** –special sizes –per square foot

#### **8' LONG CLEAR 16MM ACRYLIC PANEL 47 1/4" WIDE**

Order #: **51-7008** –per panel

#### **12' LONG CLEAR 16MM ACRYLIC PANEL 47 1/4" WIDE**

Order #: **51-40412** –per panel

#### **18' LONG CLEAR 16MM ACRYLIC PANEL 47 1/4" WIDE**

Order #: **51-70018** –per panel

#### **20' LONG CLEAR 16MM ACRYLIC PANEL 47 1/4" WIDE**

Order #: **51-70020** –per panel

#### **28' LONG CLEAR 16MM ACRYLIC PANEL 47 1/4" WIDE**

Order #: **51-70028** –per panel

#### **36' LONG CLEAR 16MM ACRYLIC PANEL 47 1/4" WIDE**

Order #: **51-70036** –per panel

### **HEAVY WEIGHT GASKETED 2 PART ALUMINUM EXTRUSIONS**

For twinwall sheets

#### **28' NEXUS ALUMINUM BAR BASE**

Heavy aluminum base to use with 8mm or 16mm panels

Order #: **50-BB816** –sold as each

#### **28' NEXUS ALUMINUM BAR CAP**

Cap ready to add 2 rows of gasket and to secure either 8mm or 16mm panels to Nexus base.

Order #: **50-BC81628** –sold as each

## 28' NEXUS ALUMINUM 8MM END CAP

End cap with room to install 1 gasket to seal end panel when installing 8mm glazing.

Order #: **53-28EC8** –sold as each

## 15'9" NEXUS ALUMINUM 16MM END CAP

End cap with room to install 1 gasket to seal end panel when installing 16mm glazing.

Order #: **50-EC16** –sold as each

## NEXUS BAR CAP GASKET PER FOOT

Special EPDM gasket with mounting tit to install in Nexus bar caps to complete sealed installation.

Order #: **53-200** –sold per foot

## NON-GASKETED ALUMINUM EXTRUSIONS

Agra Tech 2 part system for mounting 8 mm twinwall panels. Use aluminum bar base and matching punched cap on 4' or 6' centers to act as "H" where 2 sheets of 8mm twinwall or triplewall glazing meet. Install the base to your frame, lay two sheets of twinwall on top of the base and then install the punched caps with screws on 12" centers to secure the panels.

## 8' GLAZING BAR BASE

Order #: **53-208** –sold as each

## 8' GLAZING CAP PUNCHED

Order #: **53-2081** –sold as each

## 9' GLAZING BAR BASE

Order #: **53-2209** –sold as each

## 9' GLAZING CAP PUNCHED

Order #: **53-22090** –sold as each

## 10' GLAZING BAR BASE

Order #: **53-2010** –sold as each

## 10' GLAZING CAP PUNCHED

Order #: **53-2091** –sold as each

## 12' GLAZING BAR BASE

Order #: **53-2121** –sold as each

## 12' GLAZING CAP PUNCHED

Order #: **53-2122** –sold as each

## 20' GLAZING BAR BASE

Order #: **53-2201** –sold as each

## 20' GLAZING CAP PUNCHED

Order #: **53-2202** –sold as each

## 24' GLAZING BAR BASE

Order #: **53-2401** –sold as each

## 24' GLAZING CAP PUNCHED

Order #: **53-2402** –sold as each

## 12' ALUMINUM PUNCHED TERMINAL STRIPS

Used as "U" channel around perimeter edges to seal bottom, top or sides of panels and lift sheets to same elevation as Agra Tech bar base and caps.

Order #: **53-1209** –sold as each

To Order Call: 405.787.4833 or 1.800.522.3376

*Prices subject to change without notice*

## **2 PART POLYCARBONATE EXTRUSIONS**

Two part system for 8mm twinwall panels

### **8MM CLEAR BASE & CAP 24' LONG**

Install the base, lay the twinwall panels in place and snap the cap in place to secure the panels.

Order #: **53-816** –sold as set

### **8MM CLEAR RIDGE PROFILE 12' LONG**

Ridge extrusion that looks like 2 “U”s at 90 degree bends and will work for corners, gables or at ridge.

Order #: **53-817** –sold as each

## **NON-GASKETED ALUMINUM EXTRUSIONS**

Nexus I part system for mounting 8 mm twinwall panels

### **12' ALUMINUM “H” CHANNEL 8MM**

Use for joint where 2 sheets meet

Order #: **53-610** –sold as each

### **6' ALUMINUM “U” CHANNEL 8MM**

For perimeter edges of roof, wall or around doors and equipment

Order #: **53-606** –sold as each

## **1 PART POLYCARBONATE EXTRUSIONS**

One part system for 8mm twinwall panels

### **8MM CLEAR POLYCARBONATE H-PROFILE 12' LONG**

For joining together two sheets of 8mm twinwall to make a complete roof or wall

Order #: **53-813** –sold as each

### **8MM CLEAR POLYCARBONATE U-PROFILE 12' LONG**

For sealing tops, bottoms and side panels or perimeter edges of 8mm twinwall panels around doors, fans, vents, etc.

Order #: **53-812** –sold as each

## **NEXUS SPECIALTY ALUMINUM EXTRUSIONS**

### **16' ALUMINUM FRAMING CHANNEL**

“J” channel extrusion with one larger leg to receive and seal edges of corrugated or twinwall panels by doors, fans, shutters, etc.

Order #: **50-16** –sold as each

### **12' ALUMINUM SIDEWALL GUTTER RAIL**

Install on wall side of gutter to receive top of corrugated or twinwall glazing on sidewall or partition.

Order #: **50-12** –sold as each

### **12' NEXUS ROOF RAIL F/8MM**

Extrusion to mount on roof gutter lip and to secure bottom of corrugated or twinwall roof sheets.

Order #: **53-12RR8** –sold as each

# GREENHOUSES

GLAZING/FABRIC-EXTRUSIONS, CAP SCREWS & TWINWALL INSTALLATION TAPES



## NEXUS ROOF RAIL FOR 16MM

Extrusion to mount on gutter lip and to secure bottom of corrugated or twinwall roof sheets.

Order #: **531091** –8' long –sold as each

Order #: **531031** –16' long –sold as each

## VC8 NEXUS-12' LONG

Extrusion for 8mm glazing at top of partition or gable to receive corrugated or twinwall glazing and with deep neck to allow expansion and contraction of sheets.

Order #: **53-VC8** –sold as each

## VC16 NEXUS-12' LONG

Extrusion for 16mm glazing at top of partition or gable to receive corrugated or twinwall glazing and with deep neck to allow expansion and contraction of sheets.

Order #: **53-VC16** –sold as each

## NEXUS 20' GABLE EXTRUSION

Extruded angle with 2 drop legs to catch top of corrugated or twinwall sheets on endwall while sealing over last roof panel.

Order #: **53-4500** –sold as each

## 17' NEXUS GABLE FLASHING

Angle flashing to install over rigid peak gable endwall to seal last roof sheet and top of endwall panels.

Order #: **53-820** –sold as each

## NEXUS TETON RIDGE 12' LONG FOR 3/12 ROOF PITCH

Large aluminum ridge to receive top of corrugated or twinwall sheets at center ridge. Also includes spot for hinge for roof vent.

Order #: **53-12031** –sold as each

## EXTRUSION CAP SCREWS

### #10 X 1/2" TAPPING SCREW W/O WASHERS

Used to secure aluminum cap to AgraTech bar base

Order #: **53-410012** –100 per package

## NEXUS CAP SCREWS FOR 8MM PANELS

Special screws to secure Nexus aluminum caps and 8mm panels to bar base

Order #: **53-600** –100 per package

## NEXUS CAP SCREWS FOR 16MM PANELS

Special screws to secure Nexus aluminum caps and 16mm panels to bar base

Order #: **53-916** –100 per bag

## TWINWALL INSTALLATION TAPES

### WHITE POROUS TAPE

White breathable tape looks like medical tape. Apply to bottom side of twin or triple wall panels to keep out dirt and dust but allow water to drain from sheet.

Order #: **46-1108** –1" x 165' –sold per roll

Order #: **46-1109** –2" x 108' –sold per roll

### 1" X 180' 3M ALUMINUM TAPE WITH BREATHING PANELS

Very high quality breathable tape for bottom of panels reinforced with aluminum tape. Keeps dust and dirt from panels but allows water to drain from sheet.

Order #: **51-4251** –sold per roll

### 2" X 150' ROLL ALUMINUM SEALING TAPE

Seal the top side of twin or triplewall panels with this high grade aluminum tape.

Order #: **46-2180** –sold per roll

### 2" X 180' CLOTH DUCT TAPE

Silver-grey color blends well with steel framing. Quality construction resists breakdown from heat and moisture. Cotton blend cloth backing for better laminating strength. Tears straight, edges do not curl. Less expensive tape to seal top of twin or triplewall panels or a million other applications.

Order #: **51-4260** –sold per roll

To Order Call: 405.787.4833 or 1.800.522.3376

*Prices subject to change without notice*

## **ACCESSORIES FOR TWINWALL SHEETS**

### **5/16" AGRA TECH BLACK NEOPRENE SPACERS**

Used to lift and support panels for point fasteners across width of sheet between extrusions at same height as AgraTech bar base.

Order #: **53-0051610** –sold as each

Order #: **53-0051611** –250 per roll

### **1/2" NEXUS BLACK NEOPRENE SPACERS**

Used to lift and support panels for point fasteners at same height as Nexus bar base.

Order #: **53-0012** –50 per package

### **1" NEOPRENE BACKED FENDER WASHERS**

Used to secure sheets at point fasteners and to help prevent uplift of glazing panels.

Order #: **53-200118** –100 per package

### **1" X 328' SOLID FOIL TAPE**

To seal top side of 8mm twinwall panels

Order #: **36-53812** –sold as each

## **SELF DRILLING SCREWS WITH DRILL POINT**

With washers to attach into metal framing

### **#12 X 3/4" SD TEK W/WASHERS**

Order #: **53-312034** –100 per package

### **#12 X 1" SD TEK W/WASHERS**

Order #: **53-512101** –100 per package

### **#12 X 1" SD W/UMBRELLA WASHERS**

Order #: **53-121** –100 per package

### **#12 X 1 1/2" SD TEK W/WASHERS**

Order #: **53-312112** –100 per package

### **#12 X 2" SD TEK W/WASHERS**

Order #: **53-312200** –100 per package

### **#14 X 3/4" SD TEK W/WASHERS**

Order #: **53-34** –100 per package

### **#14 X 1" SD TEK W/WASHERS**

Order #: **53-314100** –100 per package

### **#14 X 1 1/4" SD TEK W/WASHERS**

Order #: **53-314114** –100 per package

### **#14 X 1 1/2" SD TEK W/WASHERS**

Order #: **53-314112** –100 per package

### **#14 X 2" SD TEK W/WASHERS**

Order #: **53-314200** –100 per package

## **SELF DRILLING SCREWS WITH DRILL POINT**

Without washers to attach into metal framing

### **#12 X 3/4" SD TEK W/O WASHERS**

Order #: **53-512034** –100 per package

### **#12 X 1" SD TEK W/O WASHERS**

Order #: **53-512100** –100 per package

### **#12 X 1 1/2" SD TEK W/O WASHERS**

Order #: **53-5121121** –100 per package

## #12 X 2" SD TEK W/O WASHERS

Order #: 53-512102 –100 per package

## #14 X 1" SD TEK W/O WASHERS

Order #: 53-514100 –100 per package

## #14 X 1 1/2" SD TEK W/O WASHERS

Order #: 53-514112 –100 per package

## #14 X 1 1/2" LARGE BLUNT SCREW W/ WASHERS

Order #: 53-614112 –100 per package

## 5/8" NEOPRENE WASHERS

Add to #12 and #14 screws without washers and you have screws with washers

Order #: 53-58 –100 per package

## STAINLESS STEEL SELF DRILLING SCREWS

### #10 X 5/8" SS/SD TEK SCREWS W/O WASH- ERS

Order #: 53-510012 –100 per package

### #10 X 1" SS/SD TEK SCREWS W/O WASH- ERS

Order #: 53-510034 –100 per package

### #12 X 3/4" SS SD TEK SCREWS W/O WASH- ERS

Order #: 53-5120341 –100 per package

## TAPERED POINT (TAPPING) SCREWS WITH WASHERS

With washers to attach into wood framing

### #9 X 1" WOODGRIP 1/4" HEX HEAD SCREWS W/ WASHERS

Order #: 53-411001 –100 per package

### #9 X 1 1/2" WOODGRIP HEX HEAD SCREWS W/ WASHERS

Order #: 53-4110112 –100 per package

### #9 X 2" WOODGRIP HEX HEAD SCREWS W/ WASHERS

Order #: 53-411002 –100 per package

### #14 X 3/4" TAPPING SCREWS W/WASHERS

Order #: 53-214034 –100 per package

### #14 X 1" TAPPING SCREWS W/WASHERS

Order #: 53-214101 –100 per package

## TAPERED POINT (TAPPING) SCREWS WITHOUT WASHERS

Without washers to attach into wood framing

### #10 X 3/4" TAPPING SCREWS W/O WASHERS

Order #: 53-410034 –100 per package

### #12 X 3/4" TAPPING SCREWS W/O WASHERS

Order #: 53-41234 –100 per package

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

## #12 X 1" TAPPING SCREWS W/O WASHERS

Order #: 53-4121 –100 per package

## #12 X 1 1/2" TAPPING SCREWS W/O WASHERS

Order #: 53-412112 –100 per package

## #14 X 5/8" TAPPING SCREWS W/O WASHERS

Order #: 53-414058 –100 per package

## #14 X 3/4" TAPPING SCREWS W/O WASHERS

Order #: 53-414034 –100 per package

## #14 X 1" TAPPING SCREWS W/O WASHERS

Order #: 53-21401 –100 per package

## #14 X 1 1/2" TAPPING SCREWS W/O WASHERS

Order #: 53-414112 –100 per package

## SILICONE CAULK

### SILICONE CAULK CLEAR GE #1001

Use to seal around polycarbonate or glass panels

Order #: 46-0068 –10.1 oz. –24 per case

### SILICONE CAULK ALUMINUM GE

Use to seal around aluminum extrusions or flashings

Order #: 46-1009 –10.1 oz. –24 per case

## POLYURETHANE CAULK

### POLYURETHANE CAULK LIMESTONE COLOR

Perfect for sealing cracks between concrete and aluminum or steel flashing and extrusions

Order #: 46-0013 –300 ml tube –30 per case

## CUTTING TOOLS FOR POLYAL SHEETS

### SAIT 4.5" GRINDING WHEEL

Use like blade on grinder for cutting polycarbonate panels

Order #: 50-S22021 –sold each –50 per carton

## CORRUGATED POLYCARBONATE

### BOX RIBBED PANELS

Polycarbonate, the perfect glazing choice for any greenhouse covering, translates it's many unique features into cost-saving benefits. Heavy Gauge with increased strength and improved hail protection; Anti-Fog-prevents condensation build up, improved light transmission; 10 Year Warranty; each 49.6" wide stock sheet provides 4' of coverage. Available in 49.6" & 73.6" widths and lengths from 1' to 39' by special order.

### CORRUGATED POLYCARBONATE CLEAR PER SQ. FT.

90% light transmission, 1.2 U value

Order #: 51-9000 –special sizes –per square foot

### 49.6" WIDE STOCK SHEETS

### 8' LONG CLEAR CORRUGATED POLYCARBONATE 49.6" WIDE PANEL

Order #: 51-9008 –per panel

# GREENHOUSES

GLAZING/FABRIC-CORRUGATED ACRYLIC & SEALING FOAM



## **9' LONG CLEAR CORRUGATED POLYCARBONATE 49.6" WIDE PANEL**

Order #: **51-9009** –per panel

## **10' LONG CLEAR CORRUGATED POLYCARBONATE 49.6" WIDE PANEL**

Order #: **51-9010** –per panel

## **11' LONG CLEAR CORRUGATED POLYCARBONATE 49.6" WIDE PANEL**

Order #: **51-9011** –per panel

## **12' LONG CLEAR CORRUGATED POLYCARBONATE 49.6" WIDE PANEL**

Order #: **51-9012** –per panel

## **16' LONG CLEAR CORRUGATED POLYCARBONATE 49.6" WIDE PANEL**

Order #: **51-9016** –per panel

## **20' LONG CLEAR CORRUGATED POLYCARBONATE 49.6" WIDE PANEL**

Order #: **514048** –per panel

## **CORRUGATED-SINGLE WALL ACRYLIC PANELS**

### **1.8MM CLEAR SMOOTH CORRUGATED ACRYLIC PANEL PER SQ FT-HEAVY WEIGHT**

91% light transmission; Deglas Hi Impact Corrugated 41" Wide Panels

Order #: **52-01191** –special sizes –per square foot

### **3MM CLEAR SMOOTH WAVE ACRYLIC PANEL PER SQ FT-VERY HEAVY WEIGHT**

90% light transmission; Deglas Hi Impact Wave Profile-41" Wide Panels

Order #: **52-0390** –special sizes –per square foot

## **CORRUGATED POLYCARBONATE SEALING FOAM**

### **3' LONG BOXRIB CORRUGATED POLY-CARBONATE FOAM**

High quality, long life foam cut in box rib shape to fill the cavity around corrugated polycarbonate at top and bottom of panels.

Order #: **51-3920** –sold per piece

## **SEALING FOAM**

### **1" X 1" X 36" RUBBER FOAM**

High quality, long life sealing foam, but denser foam so limited ability to squeeze in tight spaces. Also used to seal vertical gaps on corrugated glazings around doors, fans, etc.

Order #: **51-0004** –sold per piece

### **5/8" X 1" X 36" F-CELL FOAM**

Good quality sealing foam, but not as thick to fit in tighter extrusions and spaces. Also used to seal vertical gaps on corrugated glazings around doors, fans, etc.

Order #: **51-0005** –sold per piece

### **1" X 1" X 36" AGRA TECH SQUARE SOFT FOAM**

Soft foam to squeeze into small extrusions or tight places for sealing. Deteriorates if exposed to sun over time.

Order #: **519101** –sold per piece

### **20' X 5/8" X 1" RUBBER CLOSURE**

Rolls of foam to seal around doors, fans, etc.

Order #: **50-25** –sold per roll

To Order Call: 405.787.4833 or 1.800.522.3376

*Prices subject to change without notice*

### **3/8" X 3/4" X 25' GREY FOAM TAPE**

With adhesive on one side to seal around doors, fans, etc.  
Order #: **51-1234** –sold per roll

### **3/8" BACKER ROD PER FOOT**

Used to fill cracks or spaces before caulking  
Order #: **53-38** –sold per linear foot

## **FASTENERS**

### **FOR CORRUGATED GLAZING**

#### **DYNAGLAS SELF GRIP LAP FASTENERS**

To join corrugated sheets together between purlins or girts.  
Install on 16" to 24" centers at sheet joints.  
Order #: **53-0600** –25 per package

#### **ALUMINUM BULB RIVETS WITH NEOPRENE GASKET**

Use to join corrugated sheets together between purlins or girts.  
Install on 16" to 24" centers at sheet joints.  
Order #: **53-201** –100 per package

#### **#54-228 BLACK PLASTIC RIVETS**

Use to join corrugated sheets together between purlins or girts.  
Install on 16" to 24" centers at sheet joints.  
Order #: **53-54228** –100 per package

#### **DPI0 HAND RIVET TOOL**

Tool used to install rivets  
Order #: **53-5410** –sold as each

#### **NO DRIP SPACERS FOR CORRUGATED POLYCARBONATE**

Used to lift corrugated panels above purlins or greenhouse frame so you can screw in hills of corrugations and allow condensate to pass to low point of sheet.  
Order #: **53-0501** –25 per package

#### **GALVANIZED STEEL ANTIDRIP SPACERS**

Used to lift corrugated sheets above purlins or greenhouse frame so you can screw in hills of corrugations and allow condensate to pass to low point of sheet.  
Order #: **53-050** –50 per package

#### **ALUMINUM THREAD NAILS #10 X 1 3/4" W/ WASHERS**

Nail with pattern to secure corrugated panels to wood.  
Order #: **53-910134** –100 per package

## **GLASS CAULKS**

#### **PUTTYLASTIC NATURAL SUMMER GRADE CARTRIDGES**

PUTTYLASTIC completely seals cracks and openings by "creeping and keying" into small crevices. Because of its special properties, PUTTYLASTIC will retain its elasticity and adhesion for years. And it is easy to apply by handgun or power gun.  
Order #: **46-0056** –per tube –12 per case

#### **PUTTYLASTIC NATURAL SUMMER GRADE CAULK**

Bulk pail to fill your own caulk guns  
Order #: **46-00561** –5 gal. pail

#### **PREMIUM SOFT BEDDING PUTTY-GUN GRADE**

1 gallon can to fill your own caulk tubes  
Order #: **46-0057** –1 gal. –4 per case

#### **BUTYL TOPSEAL CAULK TUBE-GREY**

For caulking top of glass panels before installing bar caps  
Order #: **46-2502** –10.3 oz. tube –12 per case

#### **BUTYL ROPE 1/4" ROUND X 30' LONG ROLL**

Use to install on wood or aluminum glazing bars before setting glass pane.  
Order #: **46-0059** –per roll

## GLASS ACCESSORIES

### **3/4" GLASS GLAZING POINTS 1 LB**

Used to secure glass panes on wood frames to prevent glass slippage

Order #: **53-034** –sold as 1# box

## TUFFLITE INFRARED GREENHOUSE FILM

A four year, fully warranted, 6 mil energy saving covering with all the features of Drip-Less anti-condensate film plus an additional additive that disperses light and helps to delay the exit of heat from the greenhouse to reduce your heating bill by an additional 10 to 25%. Features include: tri layer extrusion, dust and chemical resistant, with UV blockers, conveniently folded for ease of installation, maximum par light transmission

Custom lengths in standard widths available by special order in any multiple of 5' long in as little as 10' wide and up to 56' wide. Allow for lead time on special order lengths since these items are not stock and require 2000 pound order for preferred freight to OKC or ship FOB, Louisiana.

## SHEETS

Available in widths up to 56' wide

### **20' X 100' IR 6 MIL CLEAR 4 YEAR FILM**

Order #: **52-220100** –sold per roll

### **24' X 100' IR 6 MIL CLEAR 4 YEAR FILM**

Order #: **52-224100** –sold per roll

### **28' X 100' IR 6 MIL CLEAR 4 YEAR FILM**

Order #: **52-228100** –sold per roll

### **32' X 100' IR 6 MIL CLEAR 4 YEAR FILM**

Order #: **52-232100** –sold per roll

### **36' X 100' IR 6 MIL CLEAR 4 YEAR FILM**

Order #: **52-3600** –sold per roll

### **40' X 100' IR 6 MIL CLEAR 4 YEAR FILM**

Order #: **52-240100** –sold per roll

### **40' X 150' IR 6 MIL CLEAR 4 YEAR FILM**

Order #: **52-1840150** –sold per roll

### **48' X 100' IR 6 MIL CLEAR 4 YEAR FILM**

Order #: **52-948100** –sold per roll

## TUBES

Available in widths up to 28' wide

### **20' X 100' IR TUBE 6 MIL CLEAR 4 YEAR FILM**

Order #: **52-20100** –sold per roll

### **24' X 110' IR TUBE 6 MIL CLEAR 4 YEAR FILM**

Order #: **52-18241101** –sold per roll

### **24' X 150' IR TUBE 6 MIL CLEAR 4 YEAR FILM**

Order #: **52-18241501** –sold per roll

To Order Call: 405.787.4833 or 1.800.522.3376

*Prices subject to change without notice*

**TUFFLITE IV-4 YEAR  
GREENHOUSE FILM**

A high quality, four year, 6 mil copolymer covering fully warranted for four years. Features include: tri layer extrusion, dust and chemical resistant, with UV blockers, conveniently folded for ease of installation, maximum par light transmission

Custom lengths in standard widths available by special order in any multiple of 5' long in as little as 10' wide and up to 56' wide. Allow for lead time on special order lengths since these items are not stock and require 2000 pound order for preferred freight to OKC or ship FOB, Louisiana.

**SHEETS**

Available in widths up to 56' wide

**10' X 100' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-4454 –sold per roll

**12' X 100' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-44541 –sold per roll

**16' X 100' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-4616100 –sold per roll

**20' X 100' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-3020100 –sold per roll

**24' X 100' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-3124100 –sold per roll

**28' X 100' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-4628100 –sold per roll

**32' X 100' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-3132100 –sold per roll

**32' X 150' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-3132150 –sold per roll

**36' X 100' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-3136110 –sold per roll

**40' X 100' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-3140100 –sold per roll

**40' X 150' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-3140150 –sold per roll

**42' X 100' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-8642100 –sold per roll

**48' X 100' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-4648103 –sold per roll

**48' X 150' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-44702 –sold per roll

**50' X 100' TUFFLITE IV 6 MIL CLEAR FILM**

Order #: 52-4650100 –sold per roll

**TUBES**

A tube is like a double layer, allowing you to install 2 layers at a time. Available in widths up to 28' wide.

**20' X 100' TUFFLITE IV TUBE 6 MIL CLEAR FILM**

Order #: 52-4463 –sold per roll

To Order Call: 405.787.4833 or 1.800.522.3376  
Prices subject to change without notice

## 24' X 100' TUFFLITE IV TUBE 6 MIL CLEAR FILM

Order #: 52-4465 –sold per roll

### GREENHOUSE FILM

### TUFFLITE NURSERY CLEAR 1 YEAR GREENHOUSE FILM

A fully warranted 6 mil, 1 year copolymer nursery clear film, Features include: tri layer extrusion, dust and chemical resistant, with UV blocker, conveniently folded for ease of installation, maximum par light transmission. Tubes available by special order.

Custom lengths in standard widths available by special order in any multiple of 5' long in as little as 10' wide and up to 56' wide. Allow for lead time on special order lengths since these items are not stock and require 2000 pound order for preferred freight to OKC or ship FOB, Louisiana.

### SHEETS

Available in widths up to 56' wide

#### **10' X 100' 6 MIL NURSERY CLEAR FILM**

Order #: 52-3010100 –sold per roll

#### **12' X 100' 6 MIL NURSERY CLEAR FILM**

Order #: 52-3012100 –sold per roll

#### **20'X100' 6 MIL NURSERY CLEAR FILM**

Order #: 52-3020100 –sold per roll

#### **24' X 100' 6 MIL NURSERY CLEAR FILM**

Order #: 52-30241001 –sold per roll

## 28' X 100' 6 MIL NURSERY CLEAR FILM

Order #: 52-30281001 –sold per roll

## 32' X 100' 6 MIL NURSERY CLEAR FILM

Order #: 52-30321001 –sold per roll

## 40' X 100' 6 MIL NURSERY CLEAR FILM

Order #: 52-30401001 –sold per roll

## 40' X 150' 6 MIL NURSERY CLEAR FILM

Order #: 52-3040150 –sold per roll

## 42' X 100' 6 MIL NURSERY CLEAR FILM

Order #: 52-3042100 –sold per roll

## 48' X 100' 6 MIL NURSERY CLEAR FILM

Order #: 52-4800 –sold per roll

To Order Call: 405.787.4833 or 1.800.522.3376

*Prices subject to change without notice*

## **TUFFLITE CO-POLYMER 1 YEAR GREENHOUSE FILM**

Co-Poly is a 6 mil, white (70% shade) overwintering 1 year film for woody nursery stock and propagation houses. It is also used on some retail garden centers or seasonal sales greenhouses. Features include: tri layer extrusion, dust and chemical resistant, with UV blockers, conveniently folded for ease of installation. Tubes available by special order.

Custom lengths in standard widths available by special order in any multiple of 5' long in as little as 10' wide and up to 56' wide. Allow for lead time on special order lengths since these items are not stock and require 2000 pound order for preferred freight to OKC or ship FOB, Louisiana.

### **SHEETS**

Available in widths up to 56' wide

#### **20' X 100' WHITE OVERWINTERING FILM**

Order #: 52-3220100 –sold per roll

#### **24' X 110' WHITE OVERWINTERING FILM**

Order #: 52-3224100 –sold per roll

### **BLACK NURSERY FILM**

Can be used on floors, for skirting benches, for inexpensive daylength control or for landscaping.

#### **8' X 100' 6 MIL BLACK POLY FILM**

Order #: 52-30608 –per roll

#### **10' X 100' 6 MIL BLACK POLY FILM**

Order #: 52-30610 –per roll

#### **12' X 100' 6MIL BLACK POLY FILM**

Order #: 52-30612 –per roll

#### **16' X 100' 6 MIL BLACK POLY FILM**

Order #: 52-30616 –per roll

#### **20' X 100' 6 MIL BLACK POLY FILM**

Order #: 52-30620 –per roll

#### **24' X 100' 6MIL BLACK POLY FILM**

Order #: 52-30624 –per roll

#### **32' X 100' 6MIL BLACK POLY FILM**

Order #: 52-30632 –per roll

#### **40' X 100' 6MIL BLACK POLY FILM**

Order #: 52-30640 –per roll

### **J&D INFLATION FANS**

J&D Manufacturing's Shaded Pole Blowers are designed to be used in double layered poly greenhouses. Both models have adjustable damper doors to adjust air flow as poly expands in heat or as small holes develop. Motors have thermal overload protection and carry a one year warranty.

#### **60 CFM INFLATION FAN VBM60**

1/25 HP, 120 volt, 60 CFM and 0.42 Amp. Our best selling inflation fan. Use with round bracket #51-140.

Order #: 51-40440 –sold as each

#### **148 CFM INFLATION FAN VBM148**

148 CFM and 1.37 Amp

Order #: 51-40446 –sold as each

## SPECIALTY INFLATION FANS

### **118 CFM INFLATION FAN FOR POLYVENTS**

Shaded pole blower; Speed: 2200; Voltage rating: 115 volts; Current rating: 1.45 Amps; Frequency: 60/50 Hertz; Thermal protection: auto; Wheel diameter: 4 1/4 inches; Wheel width: 2 inches; Inlet diameter: 3 5/8 inches. Replacement inflation fan for Polytext inflatable vents.

Order #: **55-40006** –sold as each

### **134 CFM INFLATION FAN FOR AGRATECH INFLATION KIT**

Shaded pole blower; Air flow @ 0.000 inch static pressure 134 CFM, Speed: 1500; Voltage rating: 115 volts; Current rating: 0.74 Amp; Frequency: 60/50 Hertz; Thermal protection: auto; Wheel diameter: 5 1/4 inches; Wheel width: 2 1/2 inches; Inlet diameter: 4 1/2 inches; Air flow @ 0.100 inch static pressure 126 CFM. Replacement fan for Agratech outside air kit

Order #: **51-20647** –sold as each

### **140 CFM INFLATION FAN SQUARE SNOUT**

Shaded pole blower; Air flow @ 0.000 inch static pressure 140 CFM; Speed: 3020; Voltage rating: 115 volts; Current rating: 1.02 Amps; Frequency: 60/50 Hertz; Thermal protection: auto; Wheel diameter: 3 13/16 inches; Wheel width: 1 7/8 inches; Inlet diameter: 3 1/8 inches; Air flow @ 0.100 inch static pressure 136 CFM. Use with square mounting bracket #51-142.

Order #: **51-40442** –sold as each

### **265 CFM INFLATION FAN**

Shaded pole blower; Air flow @ 0.000 inch static pressure 265 CFM; Speed: 1610; Voltage rating: 115 volts; Current rating: 1.86 amps; Frequency: 60/50 Hertz; Thermal protection: auto; Wheel diameter: 5 1/4 inches; Wheel width: 2 7/8 inches; Inlet diameter: 4 5/8 inches; Air flow @ 0.100 inch static pressure 250 CFM

Order #: **51-40447** –sold as each

### **AGRATECH INFLATION FAN KIT**

Provided with cord and plug-in, intake adapter and PVC fittings to use outside air. 134 CFM adapted 2C647A inflation fan

Order #: **51-1445** –sold as each

## INFLATION FAN ACCESSORIES

### **3 STUD INFLATION FAN MOUNTING BRACKET FOR ROUND SNOUT**

Aluminum bracket for mounting round snout inflation fans with 3 mounting stubs and plastic disk to direct air between the 2 layers of film. Use with #51-40440 fan.

Order #: **51-140** –sold as each

### **4 STUD INFLATION FAN MOUNTING BRACKET FOR SQUARE SNOUT**

Use with #51-40446 and #51-40442 fans.

Order #: **51-142** –sold as each

### **INSIDE/OUTSIDE AIR SWITCH KIT**

Kit to allow you to choose either inside or outside inlet air for your inflation fan.

Order #: **51-0101** –sold as each

## INFLATION AIR JUMPER KITS & TUBE

### **48" JUMPER HOSE KIT ASSEMBLY**

Black plastic hose with 2 part disk on each end to channel air from roof to wall or wall to wall.

Order #: **51-0142** –sold as each

### **ALUMINUM FLEX TUBING**

Aluminized plastic hose with wire reinforcement used to inflate polyvents and homemade inflation systems.

Order #: **51-01035** –3' x 5' –sold per roll

Order #: **51-010325** –3' x 25' –sold per roll

To Order Call: 405.787.4833 or 1.800.522.3376

*Prices subject to change without notice*

## **POLY PATCH REPAIR TAPE**

Poly Patch is the leading film repair tape in America. A complete first-aid kit for greenhouses, this rugged patching tape bonds aggressively to polyethylene film. Tape made with UV protected film and features paper backing to remove from sticky side as you apply the tape to a clean dry surface.

### **POLY-PATCH TAPE 2" X 48'**

Order #: **40-302** –per roll

### **POLY-PATCH TAPE 4" X 48'**

Order #: **40-304** –per roll

### **POLY-PATCH TAPE 6" X 48'**

Order #: **40-306** –per roll

### **POLY-PATCH TAPE 10" X 24'**

Order #: **40-310** –per roll

## **MANOMETER**

### **MANOMETER TO MEASURE AIR PRESSURE**

Used to measure pressure between layers of inflated poly on roofs and sidewalls.

Order #: **52-001** –sold as each

## **WIGGLE WIRE SYSTEMS**

### **12' ALUMINUM VINNIPET BASE**

Very nice aluminum base with swedged end. Use to secure plastic on roof, walls or around penetrations. Track can hold up to 2 springs thick; for example-1 for roof poly and 1 for wall poly. Every base needs at least two springs.

Order #: **53-9970178** –sold as each

### **6'6" VINNIPET PVC COATED SPRING**

Coated spring cuts fewer holes in poly. Secure poly, shade cloth or other fabric to Vinnipet base. Two springs needed for each 12' base

Order #: **53-9970192** –sold as each

## **POLY FASTENING EXTRUSIONS**

### **19'6" GABLE EXTRUSION ARCHED & PUNCHED**

Requires 2 per endwall on 30' wide Thermolator and most other 30' Quonsets to lock in roof poly on top and provides "U" channel out over end to receive corrugated or twinwall glazing. 1' polyfastening caps sold separately. Punched and bent for 30' Quonset.

Order #: **509102** –sold per piece

### **23'6" GABLE EXTRUSION ARCHED & PUNCHED**

Requires one per endwall on 20' coldframes and most other 20' Quonsets to lock in roof poly on top and provides "U" channel out over end to receive corrugated or twinwall glazing. 1' polyfastening caps sold separately.

Order #: **509103** –sold per piece

### **40" AGRA LOCK PUNCHED CORNER BASE**

Base poly fastening lock for 3'6" sidewalls on 30' wide Thermolator greenhouse. Caps sold separately.

Order #: **53-1201** –sold per piece

### **54" AGRA LOCK PUNCHED CORNER BASE**

Agra Lock base for corners of 5' tall walls on Agra Tech 20' coldframes. Caps sold separately.

Order #: **53-1202** –sold as each

### **12' AGRA-LOCK PUNCHED BASE EXTRUSION**

12' base channel for poly locking system. Requires 13 screws to secure to frame and caps sold separately.

Order #: **53-1203** –sold as each

# GREENHOUSES

GLAZING/FABRIC-POLYFASTENING EXTRUSIONS, BATTEN TAPES & SHADE FABRIC



## 2' AGRA-LOCK TOP EXTRUSION

Cap to secure poly film, shade cloth or other glazings to Agra Lock base, use 2' caps on straight runs.

Order #: **53-1204** –sold as each

## 1' AGRALOCK TOPS FOR ARCHES

Cap to secure poly film, shade cloth or other glazings to Agra Lock base. Use 1' caps on arched bases, at top of gable end walls or over roof.

Order #: **53-12045** –sold as each

## 12' AGRA SPLICE BASE-FLAT/PUNCHED

Double track of Agralock to do joint on roof or walls with poly going in two separate directions. Each base will require either 6 -2' caps on straight runs or 12-1' caps over arches.

Order #: **53-1206** –sold as each

## NEXLOCK 12' ALUMINUM BASE

Unpunched base channel for poly locking system. Need to drill your own mounting holes and caps purchased separately. Each base will require 6-2' caps on straight runs.

Order #: **500039** –sold as each

## NEXLOCK 2' ALUMINUM CAPS

Caps to secure poly film, shade cloth or other glazings to Nex-Lock base.

Order #: **50912** –sold as each

## BATTEN TAPES

### BLACK POLYPROPYLENE TAPE

Rolls of black woven polypropylene tape that looks like heavy duty lawn chair webbing. Used to secure plastic film with stapler, as hold down strapping over large roofs, to fasten interior partition and many other uses.

Order #: **51-134100** –1 3/4" x 300' –sold per roll

Order #: **51-234300** –2 3/4" x 300' –sold per roll

## WHITE VINYL BATTEN TAPE

Ken-Bar's vinyl batten tape provides a quick fastening method for stapling plastic film to wood framing. Just staple every 4 to 6 inches through the tape and the plastic film into the wood. The tape will act as a batten strip to hold the plastic film in place. The tape is very flexible and easy to use-unroll, hold in place, and staple. It is white and contributes to a neat and attractive structure.

Order #: **51-34500** –3/4" x 500' –sold per roll

Order #: **51-341000** –3/4" x 1000' –sold per roll

## ALUMINET-SHADE FABRIC

Aluminet is a high quality reflective metalized HDPE knitted screen for use in greenhouse thermal screens and as an alternative to black shade cloth. It is specially treated to prevent oxidation and protects against frost radiation damages, repels pests and thrips, moderates day/night temperatures and is easy to install due to light weight and high elasticity. This reflective fabric can be installed inside or outside over the greenhouse glazing. At the same outdoor temperature it will be several degrees cooler inside the greenhouse with this fabric compared to the usual woven black shade fabric. These fabrics can be fabricated into the desired size panel. We can also tape or hem edges and add grommets to your desired panel size. These fabrics are available in standard widths of 7', 14', 21' and 28' but can be fabricated to meet your needs.

### 30% ALUMINET SHADE FABRIC

Order #: **51-18030** –per sq. ft.

### 40% ALUMINET SHADE FABRIC

Order #: **51-18040** –per sq. ft.

### 50% ALUMINET SHADE FABRIC

Order #: **51-18050** –per sq. ft.

To Order Call: 405.787.4833 or 1.800.522.3376

*Prices subject to change without notice*

**60% ALUMINET SHADE FABRIC**

Order #: 51-18060 –per sq. ft.

**70% ALUMINET SHADE FABRIC**

Order #: 51-18070 –per sq. ft.

**WOVEN POLYPROPYLENE SHADE**

Dewitt's Woven Shade is made from 100% polypropylene microfilament strands. It is UV stabilized to hold up under the most extreme solar conditions. Woven Shade can be used for a variety of applications: wind and privacy screen, shading for sports and recreation, livestock, patio, dog kennels and solar protection for plants. Can be custom fabricated in any width and length and even in unique sizes and shapes. Call for pricing or custom sizes, colors, shade percentages to meet you specific needs. All stock panels are black woven shade fabric with all edges taped and #4 grommets every 2' on all 4 sides and at corners.

**6'X100' 63% SHADE CLOTH T&G/2'**

Order #: 51-06100 –per piece

**10'X100' 63% SHADE CLOTH T&G/2'**

Order #: 51-10100 –per piece

**12'X100' 63% SHADE CLOTH T&G/2'**

Order #: 51-121001 –per piece

**20'X14' 73% SHADE CLOTH T&G/2''**

Order #: 51-2014 –per piece

**20'X100' 63% SHADE CLOTH T&G/2'**

Order #: 51-20100 –per piece

**24'X49' 63% SHADE CLOTH T&G/2'**

Order #: 51-2449 –per piece

**24'X97' 63% SHADE CLOTH T&G/2'**

Order #: 51-2497 –per piece

**30'X30' 63% SHADE CLOTH T&G/2'**

Order #: 51-3030 –per piece

**30'X35' 63% SHADE CLOTH T&G/2'**

Order #: 51-3035 –per piece

**40'X49' 63% SHADE CLOTH T&G/2'**

Order #: 51-4049 –per piece

**40'X97' 63% SHADE CLOTH T&G/2'**

Order #: 51-4097 –per piece

**SHADE CLOTH**

**KNITTED SHADE**

DeWitt's Knitted Shade is made from 100% UV stabilized polyethylene. It's unique lock stitch construction allows customers the ability to cut the fabric with scissors without further unraveling. Its light weight and durability make it a superior choice for all types of shade applications. Can be custom fabricated in any width and length and even in unique sizes and shapes.

**40' X 100' 30% BLACK KNITTED SHADE CLOTH**

All edges taped and grommets every 2' on all 4 sides

Order #: 51-040100 –per piece

# GREENHOUSES

GLAZING/FABRIC-SHADE FABRIC & ACCESSORIES & ROW COVER



## 6' WIDE 50% BLACK KNITTED SHADE

No Tape or Grommets

Order #: **51-065001** –per linear foot of length

## 12'X18' 70% BLACK KNITTED SHADE

All edges taped and grommets every 2' on all 4 sides

Order #: **51-101001** –per piece

## 15'6"X47'6" 70% BLACK KNITTED SHADE

All edges taped and grommets every 2' on all 4 sides

Order #: **51-156476** –per piece

## SHADE CLOTH ACCESSORIES

### 1/4" SOLID BRAID NYLON ROPE

For lacing or tying the shade cloth to hooks or eyebolts on the greenhouse.

Order #: **51-314** –per linear foot

### 3/16" SOLID BRAID NYLON ROPE

For lacing or tying the shade cloth to hooks or eyebolts on the greenhouse.

Order #: **51-316** –per linear foot

### CLIP-ITS RETAIL (6 PER PACK)

Snap together black plastic grommet to attach to shade cloth fabric and then tie or rope in place.

Order #: **54-2005** –6 per pack –25 packs per case

### CLIP-ITS BULK CASE

Snap together black plastic grommet to attach to shade cloth/fabric and then tie or rope in place

Order #: **54-5** –300 per case

## NYLON CLOTH HANGER CLIPS F0503

This nylon clip has the advantage of clamping the supported fabric top and bottom with a broader holding surface than most clips. The circular leg clamps the fabric together to hold the material firmly in place. Wadsworth clip for replacement on Wadsworth motorized shade systems or to use if making your own moveable shade system.

Order #: **51-0503** –pack of 50

## SHADE COMPOUND

### ULTRA KOOLRAY WHITE SHADE

Dilute with 6 to 12 gallons of water and spray on greenhouse glazing to shade or reduce light transmission while reducing heat from entering greenhouse because of high reflectivity.

Order #: **46-0044** –1 gal. –4 per case

Order #: **46-0045** –5 gal. pail

### VARISHADE-2 REMOVABLE SHADE COMPOUND

Special shade that is clear when wet or shaded when dry on the applied surface.

Order #: **46-0046** –1 gal. –4 per case

To Order Call: 405.787.4833 or 1.800.522.3376

*Prices subject to change without notice*

### **3.0 OZ ROW COVER**

DeWitt's Thermal Blanket is a 3. oz. white, non-woven, needle-punched polypropylene material. Thermal Blanket is designed to let rain and irrigation through to your nursery stock, while holding in precious heat. Due to the fabric's permeability, there is no need to worry about foliage burn, so Thermal Blanket can remain in use even on sunny days. This is an excellent product for late fall and early spring applications to extend your selling seasons. Thermal Blanket also makes an effective alternative for overwintering perennials and other ornamentals.

The 3. oz. white spun bond fabrics provide 6 degrees to 12 degrees of extra protection depending on winds and how the edges are sealed to the earth.

#### **6' X 250' THERMAL BLANKET**

Order #: **47-6250** –sold by roll

#### **12' X 250' THERMAL BLANKET**

Order #: **47-106250** –sold by roll

#### **15' X 250' THERMAL BLANKET**

Order #: **47-15250** –sold by roll

### **1.25 & 1.5 OZ ROW COVER**

The 1.25 and 1.5 oz. white spun bond fabric provides 4 to 8 degrees of extra protection depending on winds and how the edges are sealed to the earth.

#### **N-SULATE 10' X 12' PLANT GUARD**

DeWitt's 1.5 oz. N-Sulate is a medium weight, permeable, UV treated fabric designed to protect flowering annuals, bedding plants and vegetables from the severe cold and freezing temperatures. This fabric installs easily and is reusable. N-Sulate can lengthen your harvest time and extend your flowering season.

Order #: **47-1012** –sold each in consumer poly pak  
–12 per case

#### **12' X 250' N-SULATE 1.5 OZ.**

Order #: **47-123001** –sold by roll

#### **15' X 100' DUPONT 5131 SPUNBOND**

Order #: **47-07188101** –sold by roll

#### **15' X 300' DUPONT 5131 SPUNBOND**

Order #: **47-07188301** –sold by roll

#### **45' X 100' DUPONT 5131 SPUNBOND**

Order #: **47-0745100** –sold by roll

### **.5 & .6 OZ ROW COVER**

For winter protection the .5 and .6 oz. white spun bond fabrics provide 3 to 5 degrees of extra protection depending on winds and how edges are sealed to the earth.

#### **67" X 250' DUPONT TRIAL ROW COVER**

Order #: **47-0167250** –sold by roll

## 67" X 2550' DUPONT ROW COVER

Order #: 47-01672550 –sold by roll

## PLANT GUARD 12' X 500' DEWITT

DeWitt Seed & Plant Guard is a lightweight, 0.5 oz., white, spun-bond fabric for use in grass seeding at commercial and residential sites. It creates an excellent microenvironment for seed germination and seedling growth. This fabric provides a 90-95% average seed germination compared to 60-65% with straw or hay and can be used as a low cost insulation against the elements.

Order #: 47-12300 –sold by roll

## 148" X 300' DUPONT ROW COVER

Order #: 47-01148300 –sold by roll

## 48' X 300' FLOATING ROW COVER

Kimberly Clark .6 oz. row cover for 3 to 5 degrees of extra protection

Order #: 47-0848300 –sold by roll

## SLITTED ROW COVER

Use slitted row cover over hoops to create a small tunnel greenhouse to provide extra protection from wind and night temperatures but to ventilate excessive daytime heat out slits in plastic film.

## 6' X 1000' CLEAR SLITTED ROW COVER

Order #: 47-0361000 –sold by roll

## 6' X 1000' WHITE SLITTED ROW COVER

Order #: 47-0461000 –sold by roll

## 76" #10 GALVANIZED WIRE/HOOPS

Used to create inexpensive hoops to support the slitted row cover. Press one end in ground, bend to create arch and press other end in ground to create hoop structure and cover with slitted row cover.

Order #: 47-76 –sold by bundle of 100

## UNSLITTED ROW COVER

Same plastic film as slitted row cover without slits. Provides more cold protection but beware of excessive day time heat buildup unless you open ends or sides on sunny, warm days.

## UNSLITTED CLEAR POLY ROW COVER 0.5 MIL

Order #: 47-0564001 –6' x 1000 –sold by roll

Order #: 47-0564000 –6' x 8000' –sold by roll

## MULCH FILM

Apply mulch film by hand or with equipment to warm soil to help produce early crops and to physically control weeds and grass from competing with your desired crop.

## 48" X 2400' 1.25 MIL BLACK EMBOSSED MULCH

Order #: 52-31482400 –sold by roll

## 48" X 4000' 1 MIL BLACK EMBOSSED MULCH

Order #: 52-3115 –sold by roll

## 48" X 6000' 0.7 MIL BLACK MULCH

Order #: 47-06481500 –sold by roll

--12 packs of 3 per case

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

## **48" X 3000' SRM 1 MIL RED MULCH**

Promotes higher yields of tomatoes

Order #: **52-06915** –sold by roll

## **WALL O' WATER**

### **WALLO' WATER PLANT PROTECTOR**

Series of round plastic tubes you fill with water to make solar teepee around your vegetables or other plants to provide protection against cold and wind and to help get an early crop harvest.

Order #: **47-103** –3 per consumer package /

--12 packs of 3 per case

## **HOT KAPS**

To provide extra frost protection to your vegetables and plants

### **REGULAR WAX PAPER HOTKAPS**

6 1/2" tall x 11" diameter with paper setter

Order #: **47-02** –100 per case

### **KING SIZE WAX PAPER HOTKAPS**

9 1/2" tall x 11" diameter with paper setter

Order #: **47-03K** –100 per case

## **NO THRIP INSECT SCREEN**

U.V. stabilized Insect Screens from Greentek, correctly installed prevent insect penetration, yet provide maximum possible air flow that is essential for optimal crop yields. All greenhouse openings including intake vents, service doors, etc., should be screened for best results, and double screened personnel doors can be installed for best control. Construction: 81 x 81 mesh; Opening size: 0.0059 x 0.0059"; Thread size: 0.15 mm; Weave: 1/1; Weight: 0.216 lbs. per sq. yard; Shade value: 33%; Light transmission: 66%; UV resistance: tested to equivalent of 3 years. Finest size opening of insect screens.

### **39" WIDE NO THRIP INSECT SCREEN**

Order #: **54-18039** –per linear foot

### **78" WIDE NO THRIP INSECT SCREEN**

Order #: **54-18078** –per linear foot

### **156" WIDE NO THRIP INSECT SCREEN**

Order #: **54-180156** –per linear foot

## **ANTIVIRUS INSECT SCREEN**

Construction: 50 x 24 mesh; Opening size: 0.0105 x 0.0322"; Thread size: 0.24 mm; Weave: 1/1; Weight: 0.33 lbs. per sq. yard; Shade value: 20%; Light transmission: 80%; UV resistance: tested to equivalent of 5 years. Finest mesh. Mid size opening of insect screens.

### **39" WIDE ANTI-VIRUS INSECT SCREEN**

Order #: **54-54239** –per linear foot

# GREENHOUSES

GLAZING/FABRIC-INSECT SCREEN, BRUSHES & FOAM TAPE ROLLS



## 78" WIDE ANTI-VIRUS INSECT SCREEN

Order #: 54-54278 –per linear foot

## 118" WIDE ANTI-VIRUS INSECT SCREEN

Order #: 54-542118 –per linear foot

## ALUMINUM WIRE INSECT SCREEN

Bright Aluminum Screen Wire is rust and corrosion resistant. It's an easy to install, consistent weave, high quality screening suitable for most door, window and vent applications. The strong aluminum material is rigid enough to hold its shape during fabrication. Coarsest or largest opening size of insect screens. 18 x 16 mesh size.

## 36" WIDE 30 MESH ALUMINUM SCREEN WIRE CLOTH

Order #: 54-3630 –per linear foot

## 36" WIDE BRIGHT ALUMINUM INSECT SCREEN

Order #: 54-AS36 –per linear foot

## 48" WIDE BRIGHT ALUMINUM INSECT SCREEN

Order #: 54-AS48 –per linear foot

## INSECT SCREEN BRUSHES

To seal openings around racks on pad or roof vents

## 1" BRUSH IN 3/4" ALUMINUM HOLDER

Order #: 54-380CLA10 –per linear foot

## 1 1/2" BRUSH IN 1 1/8" ALUMINUM HOLDER

Order #: 54-480CLA –per linear foot

## 2" BRUSH IN 1 1/8" ALUMINUM HOLDER

Order #: 54-480CLA20 –per linear foot

## 3" BRUSH IN 1 1/8" ALUMINUM HOLDER

Order #: 50-815 –per linear foot

## FOAM TAPE ROLLS

### 1/4" THICK X 1 1/2" WIDE X 50' BLACK FOAM TAPE

3M tape to install under stationary insect screen panels to get a good seal.

Order #: 51-14112 –sold per roll

### 1/4" THICK X 1 1/2" WIDE X 108' DOUBLE SIDE FOAM

3M tape with adhesive on both sides to install under stationary insect screen panels to get a good seal.

Order #: 51-495015 –sold per roll

### 1/4" THICK X 1/2" WIDE X 50' BLACK FOAM TAPE W/ADHESIVE BACKING

Adhesive on 1 side to use on glass or metal for sealing or separation.

Order #: 53-1412 –sold per roll

### 1/4" THICK X 3/4" WIDE X 50' BLACK FOAM TAPE

Adhesive on 1 side to use on glass or metal for sealing or separation.

Order #: 51-74814 –sold per roll

To Order Call: 405.787.4833 or 1.800.522.3376  
Prices subject to change without notice