

TABLE OF CONTENTS—GREENHOUSES—GLAZING & SHADE

GLAZING & SHADE

Polycarbonate Twinwall Panels	127	Corrugated Single Wall	
Polycarbonate Triplewall Panels	128	Acrylic Panels	136
Acrylic Twinwall Panels	128	Sealing Foam	136
Extrusions		Fasteners for Corrugated Glazing	137
Gasketed 2 Part Aluminum	129	Glass Caulks	137
Non-Gasketed 2 Part		Tufflite	
Aluminum	130	Infrared Greenhouse Film	138
2 Part Polycarbonate	131	Tufflite IV Greenhouse Film	139
Extrusion Cap Screws	131	Nursery Clear Greenhouse Film	140
Non-Gasketed 1 Part	131	Copolymer Greenhouse Film	141
Aluminum	131	Black Nursery Film	141
1 Part Polycarbonate	132	Inflation Fans & Accessories	142
Specialty Aluminum	132	Inflation Jumper Kits & Tube	143
Twinwall Installation Tapes	132	Poly Patch Repair Tape	143
Accessories For Twinwall Sheets	133	Wiggle Wire Systems	143
Screws		Poly Fastening Extrusions	144
Self Drilling With Washers	133	Aluminet Shade Fabric	145
Self Drilling Without Washers	134	Woven Polypropylene Shade	145
Stainless Steel Self Drilling	134	Knitted Shade	146
Tapered Point (Tapping) Screws		Shade Cloth Accessories	146
With Washers	134	Shade Compound	147
Tapered Point (Tapping) Screws	135	Row Cover	147
Silicone Caulk	135	Mulch Film	149
Polyurethane Caulk	135	Wall O' Water	149
Cutting Tools for Polygal Sheets	135	Hot Kaps	149
Corrugated Polycarbonate		Insect Screens & Brushes	149
Box Ribbed Panels	136	Foam Tape Rolls	151

**POLYCARBONATE TWINWALL
PANELS—POLYGAL**

Designed especially for greenhouses, Polygal's advanced multi-wall sheets provide the best thermal insulation of any greenhouse covering material. Polygal sheets save significantly on heating expenses, scale-down heating system requirements and provide lower heat-transfer coefficient. Polygal's advanced Anti-Fog coating provides the most effective long term protection against condensation drip damage. Polygal sheets transmit light better than other greenhouse materials and make a critical difference in crop yields. Polygal sheets are backed by a 10 year warranty against light transmission reduction, yellowing and hail damage.

Standard widths are 4' and 6' wide and material can be special ordered and shipped in lengths from 1' long to 39' long.

**8MM TWINWALL
POLYCARBONATE PANELS**

Approximately 1/4" thick

8MM CLEAR TWINWALL PER SQ. FT.

80% light transmission, 0.58 U factor
Order #: **51-01** –special sizes –per square foot

8MM BRONZE TWINWALL PER SQ. FT.

42% light transmission, 0.58 U factor
Order #: **51-018** –special sizes –per square foot

8MM OPAL (LIGHT WHITE) TWINWALL PER SQ. FT.

32% light transmission, 0.58 U factor
Order #: **51-0185** –special sizes –per square foot

IR SPRING TWINWALL PER SQ. FT.

[special order item]
70% light transmission, 0.58 U factor
Order #: **51-0814** –special sizes –per square foot

PRIMALITE PEARL [special order item]

40% light transmission, 0.58 U factor
Order #: **51-08PPL** –special sizes –per square foot

POLYSHADE SILVER [special order item]

18% light transmission, 0.58 U factor
Order #: **51-08PSF** –special sizes –per square foot

POLYCOOLITE OPAL [special order item]

45% light transmission, 0.58 U factor
Order #: **51-0816** –special sizes –per square foot

4' WIDE STOCK PANELS

4' X 8' 8MM CLEAR TWINWALL

Order #: **51-408** –per panel

4' X 10' 8MM CLEAR TWINWALL

Order #: **51-410** –per panel

4' X 12' 8MM CLEAR TWINWALL

Order #: **51-412** –per panel

6' WIDE STOCK PANELS

6' X 8' 8MM CLEAR TWINWALL

Order #: **51-6080** –per panel

6' X 10' 8MM CLEAR TWINWALL

Order #: **51-610** –per panel

6' X 12' 8MM CLEAR TWINWALL

Order #: 51-612 –per panel

6' X 15' 8MM CLEAR TWINWALL

Order #: 51-615 –per panel

6' X 18'10" 8MM CLEAR TWINWALL

Order #: 51-61810 –per panel

6' X 20' 8MM CLEAR TWINWALL

Order #: 5141203 –per panel

6' X 22'10" 8MM CLEAR TWINWALL

[special order item]

Order #: 51-61811 –per panel

6' X 24' 8MM CLEAR TWINWALL

Order #: 5140111 –per panel

8 MM TRIPLEWALL

Approximately 1/4" thick

8MM CLEAR TRIPLEWALL PER SQ. FT.

77% light transmission, 0.50 U factor

Order #: 51-0819 –special sizes –per square foot

6' X 24' 8MM CLEAR TRIPLEWALL

Order #: 5149 –per panel

ACRYLIC TWINWALL PANELS

Evonik Deglass47 1/4" wide acrylic impact modified panels-give 4' of coverage when installed in extrusions. Available in special order lengths from 1' to 36' long.

8MM TWINWALL-ACRYLIC PANELS

Approximately 1/4" thick

8MM CLEAR TWINWALL ACRYLIC PANEL PER SQ FT

84% light transmission, 0.56 U value

Order #: 52-01194 –special sizes –per square foot

8MM LIGHT WHITE TWINWALL ACRYLIC PANEL PER SQ FT [special order item]

70% light transmission, 0.56 U value

Order #: 52-06311 –special sizes –per square foot

10' LONG CLEAR 8MM ACRYLIC PANEL 47 1/4" WIDE [special order item]

Order #: 51-70030 –per panel

12' LONG CLEAR 8MM ACRYLIC PANEL 47 1/4" WIDE [special order item]

Order #: 51-70029 –per panel

14' LONG CLEAR 8MM ACRYLIC PANEL 47 1/4" WIDE

Order #: 51-70014 –per panel

17' LONG CLEAR 8MM ACRYLIC PANEL 47 1/4" WIDE

Order #: 51-70017 –per panel

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

16MM TWINWALL-ACRYLIC PANELS

Approximately 1/2" thick; 32 mm between ribs
except as noted

16 MM CLEAR ACRYLIC PANEL PER SQ FT

86% light transmission, 0.49 U value

Order #: **52-01192** –special sizes –per square foot

16MM LIGHT WHITE ACRYLIC PANEL PER SQ FT [special order item]

74% light transmission, 0.49 U value

Order #: **52-06312** –special sizes –per square foot

16MM BRONZE ACRYLIC PANEL PER SQ FT [special order item]

53% light transmission, 0.49 U value

Order #: **52-4348** –special sizes –per square foot

16MM THICK SOLAR COOL WHITE ACRYLIC PANEL PER SQ FT

[special order item]

37% light transmission, 0.49 U value

Order #: **52-0151** –special sizes –per square foot

16MM HEATSTOP PEARL ACRYLIC PANEL PER SQ FT [special order item]

50% light transmission, 0.49 U value

Order #: **52-0840** –special sizes –per square foot

16MM THICK 96MM BETWEEN RIBS HIGH LUX CLEAR ACRYLIC PANEL PER SQ FT [special order item]

87% light transmission, 0.49 U value

Order #: **52-01193** –special sizes –per square foot

8' LONG CLEAR 16MM ACRYLIC PANEL 47 1/4" WIDE

Order #: **51-7008** –per panel

12' LONG CLEAR 16MM ACRYLIC PANEL 47 1/4" WIDE

Order #: **51-40412** –per panel

18' LONG CLEAR 16MM ACRYLIC PANEL 47 1/4" WIDE

Order #: **51-70018** –per panel

20' LONG CLEAR 16MM ACRYLIC PANEL 47 1/4" WIDE

Order #: **51-70020** –per panel

28' LONG CLEAR 16MM ACRYLIC PANEL 47 1/4" WIDE

Order #: **51-70028** –per panel

36' LONG CLEAR 16MM ACRYLIC PANEL 47 1/4" WIDE

Order #: **51-70036** –per panel

HEAVY WEIGHT GASKETED 2 PART ALUMINUM EXTRUSIONS

For twinwall sheets; you must buy bar base, bar cap, EPDM cap gasket and cap screws to get all parts needed to install 8-16 mm panels.

NEXUS ALUMINUM BAR BASE

Heavy aluminum base to use with 8mm or 16mm panels

Order #: **50-BB816** –28' long –sold as each

Order #: **50-BB226** –22'6" long –sold as each

NEXUS ALUMINUM BAR CAP

Cap ready to add 2 rows of gasket and to secure either 8mm or 16mm panels to Nexus base.

Order #: **50-BC81628** –28' long –sold as each

Order #: **50-BC228** –22'8" long –sold as each

NEXUS ALUMINUM 8MM END CAP

End cap with room to install 1 gasket to seal end panel when installing 8mm glazing.

Order #: **53-28EC8** –28' long –sold as each

Order #: **53-228EC** –22'8" long –sold as each

15'9" NEXUS ALUMINUM 16MM END CAP

End cap with room to install 1 gasket to seal end panel when installing 16mm glazing.

Order #: **50-EC16** –sold as each

NEXUS BAR CAP GASKET PER FOOT

Special EPDM gasket with mounting tit to install in Nexus bar caps to complete sealed installation.

Order #: **53-200** –sold per foot

NEXUS CAP SCREWS FOR 8MM PANELS

Special screws to secure Nexus aluminum caps and 8mm panels to bar base. #10 x 1 1/16" stainless steel cap screws

Order #: **53-600** –100 per package

NEXUS CAP SCREWS FOR 16MM PANELS

Special screws to secure Nexus aluminum caps and 16mm panels to bar base. #10 x 1" stainless steel cap screws

Order #: **53-916** –100 per bag

NON-GASKETED **ALUMINUM EXTRUSIONS**

APPAS aluminum 2 part system for mounting 8 mm twinwall panels. Use aluminum bar base and matching cap on 4' or 6' centers to act as "H" where 2 sheets of 8mm twinwall or triplewall glazing meet. Install the base to your frame, lay two sheets of twinwall on top of the base and then install the punched caps with screws on 12" centers to secure the panels. You must buy bar base, bar cap and cap screws to install 6 or 8 mm panels.

8' ALUMINUM GLAZING BAR BASE

Order #: **53-208** –sold as each

8' ALUMINUM GLAZING CAP

Order #: **53-2081** –sold as each

9' ALUMINUM GLAZING BAR BASE

Order #: **53-2209** –sold as each

9' ALUMINUM GLAZING CAP

Order #: **53-22090** –sold as each

10' ALUMINUM GLAZING BAR BASE

Order #: **53-2010** –sold as each

10' ALUMINUM GLAZING CAP

Order #: **53-2091** –sold as each

12' ALUMINUM GLAZING BAR BASE

Order #: **53-2121** –sold as each

12' ALUMINUM GLAZING CAP

Order #: **53-2122** –sold as each

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

20' ALUMINUM GLAZING BAR BASE

Order #: **53-2201** –sold as each

20' ALUMINUM GLAZING CAP

Order #: **53-2202** –sold as each

24' ALUMINUM GLAZING BAR BASE

Order #: **53-2401** –sold as each

24' ALUMINUM GLAZING CAP

Order #: **53-2402** –sold as each

12' ALUMINUM OUTER EDGE STRIP WITH RAISED "U" CHANNEL

Used as "U" channel around perimeter edges to seal bottom, top or sides of panels and lift sheets to same elevation as APPAS bar base and caps.

Order #: **53-1209** –sold as each

EXTRUSION CAP SCREWS

**#10 X 1/2" TAPPING SCREW
W/O WASHERS**

Used to secure aluminum cap to APPAS or AgraTech bar base

Order #: **53-410012** –100 per package

**2 PART POLYCARBONATE
EXTRUSIONS**

Two part system for 8mm twinwall panels

8MM CLEAR BASE & CAP 24' LONG

[special order item]

Install the base, lay the twinwall panels in place and snap the cap in place to secure the panels.

Order #: **53-816** –sold as set

8MM CLEAR RIDGE PROFILE 12' LONG

Ridge extrusion that looks like 2 "U"s at 90 degree bends and will work for corners, gables or at ridge.

Order #: **53-817** –sold as each

**NON-GASKETED
ALUMINUM EXTRUSIONS**

Nexus I part system for mounting 8 mm twinwall panels

12' ALUMINUM "H" CHANNEL 8MM

Use for joint where 2 sheets meet

Order #: **53-610** –sold as each

6' ALUMINUM "U" CHANNEL 8MM

For perimeter edges of roof, wall or around doors and equipment

Order #: **53-606** –sold as each

**I PART POLYCARBONATE
EXTRUSIONS**

One part system for 8mm twinwall panels

**8MM CLEAR POLYCARBONATE H-PROFILE
12' LONG**

For joining together two sheets of 8mm twinwall to make a complete roof or wall

Order #: **53-813** –sold as each

**8MM CLEAR POLYCARBONATE
U-PROFILE 12' LONG**

For sealing tops, bottoms and side panels or perimeter edges of 8mm twinwall panels around doors, fans, vents, etc.

Order #: **53-812** –sold as each

NEXUS SPECIALTY **ALUMINUM EXTRUSIONS**

16' ALUMINUM FRAMING CHANNEL

"J" channel extrusion with one larger leg to receive and seal edges of corrugated or twinwall panels by doors, fans, shutters, etc.

Order #: **50-16** –sold as each

12' ALUMINUM SIDEWALL GUTTER RAIL

Install on wall side of gutter to receive top of corrugated or twinwall glazing on sidewall or partition.

Order #: **50-12** –sold as each

12' NEXUS ROOF RAIL F/8MM

Extrusion to mount on roof gutter lip and to secure bottom of corrugated or twinwall roof sheets.

Order #: **53-12RR8** –sold as each

NEXUS ROOF RAIL FOR 16MM

[special order item]

Extrusion to mount on gutter lip and to secure bottom of corrugated or twinwall roof sheets.

Order #: **531091** –8' long –sold as each

Order #: **531031** –16' long –sold as each

VC8 NEXUS-12' LONG [special order item]

Extrusion for 8mm glazing at top of partition or gable to receive corrugated or twinwall glazing and with deep neck to allow expansion and contraction of sheets.

Order #: **53-VC8** –sold as each

VC16 NEXUS-12' LONG [special order item]

Extrusion for 16mm glazing at top of partition or gable to receive corrugated or twinwall glazing and with deep neck to allow expansion and contraction of sheets.

Order #: **53-VC16** –sold as each

NEXUS 20' GABLE EXTRUSION

[special order item]

Extruded angle with 2 drop legs to catch top of corrugated or twinwall sheets on endwall while sealing over last roof panel.

Order #: **53-4500** –sold as each

17' NEXUS GABLE FLASHING

[special order item]

Angle flashing to install over rigid peak gable endwall to seal last roof sheet and top of endwall panels.

Order #: **53-820** –sold as each

NEXUS TETON RIDGE 12' LONG FOR 3/12 ROOF PITCH [special order item]

Large aluminum ridge to receive top of corrugated or twinwall sheets at center ridge. Also includes spot for hinge for roof vent.

Order #: **53-12031** –sold as each

TWINWALL INSTALLATION TAPES

WHITE POROUS TAPE

White breathable tape looks like medical tape. Apply to bottom side of twin or triple wall panels to keep out dirt and dust but allow water to drain from sheet.

Order #: **46-1108** –1" x 165' –sold per roll

Order #: **46-1109** –2" x 108' –sold per roll

1" X 180' 3M ALUMINUM TAPE WITH BREATHING PANELS

Very high quality breathable tape for bottom of panels reinforced with aluminum tape. Keeps dust and dirt from panels but allows water to drain from sheet.

Order #: **51-4251** –sold per roll

2" X 150' ROLL ALUMINUM SEALING TAPE

Seal the top side of twin or triplewall panels with this high grade aluminum tape.

Order #: **46-2180** –sold per roll

To Order Call: 405.787.4833 or 1.800.522.3376
Prices subject to change without notice

2" X 180' CLOTH DUCT TAPE

Silver-grey color blends well with steel framing. Quality construction resists breakdown from heat and moisture. Cotton blend cloth backing for better laminating strength. Tears straight, edges do not curl. Less expensive tape to seal top of twin or triplewall panels or a million other applications.

Order #: **51-4260** –sold per roll

1" X 328' SOLID FOIL TAPE

To seal top side of 8mm twinwall panels

Order #: **36-53812** –sold as each

ACCESSORIES FOR TWINWALL SHEETS

5/16" AGRA TECH BLACK NEOPRENE SPACERS

Used to lift and support panels for point fasteners across width of sheet between extrusions at same height as AgraTech bar base.

Order #: **53-0051610** –sold as each

Order #: **53-0051611** –250 per roll

1/2" NEXUS BLACK NEOPRENE SPACERS

Used to lift and support panels for point fasteners at same height as Nexus bar base.

Order #: **53-0012** –50 per package

1" NEOPRENE BACKED FENDER WASHERS

Used to secure sheets at point fasteners and to help prevent uplift of glazing panels.

Order #: **53-200118** –100 per package

SELF DRILLING SCREWS WITH DRILL POINT

With washers to attach into metal framing

#12 X 3/4" SD TEK W/WASHERS

Order #: **53-312034** –100 per package

#12 X 1" SD TEK W/WASHERS

Order #: **53-512101** –100 per package

#12 X 1" SD W/UMBRELLA WASHERS

Order #: **53-121** –100 per package

#12 X 1 1/2" SD TEK W/WASHERS

Order #: **53-312112** –100 per package

#12 X 2" SD TEK W/WASHERS

Order #: **53-312200** –100 per package

#14 X 3/4" SD TEK W/WASHERS

[special order item]

Order #: **53-34** –100 per package

#14 X 1" SD TEK W/WASHERS

Order #: **53-314100** –100 per package

#14 X 1 1/4" SD TEK W/WASHERS

Order #: **53-314114** –100 per package

#14 X 1 1/2" SD TEK W/WASHERS

Order #: **53-314112** –100 per package

#14 X 2" SD TEK W/WASHERS

Order #: **53-314200** –100 per package

SELF DRILLING SCREWS WITH DRILL POINT

Without washers to attach into metal framing

#12 X 3/4" SD TEK W/O WASHERS

Order #: 53-512034 –100 per package

#12 X 1" SD TEK W/O WASHERS

Order #: 53-512100 –100 per package

#12 X 1 1/2" SD TEK W/O WASHERS

Order #: 53-5121121 –100 per package

#12 X 2" SD TEK W/O WASHERS

Order #: 53-512102 –100 per package

#14 X 1" SD TEK W/O WASHERS

Order #: 53-514100 –100 per package

#14 X 1 1/2" SD TEK W/O WASHERS

Order #: 53-514112 –100 per package

#14 X 1 1/2" LARGE BLUNT SCREW W/ WASHERS

Order #: 53-614112 –100 per package

5/8" NEOPRENE WASHERS

Add to #12 and #14 screws without washers and you have screws with washers

Order #: 53-58 –100 per package

STAINLESS STEEL SELF DRILLING SCREWS

#10 X 5/8" SS/SD TEK SCREWS W/O WASHERS

Order #: 53-510012 –100 per package

#10 X 1" SS/SD TEK SCREWS W/O WASHERS

Order #: 53-510034 –100 per package

#12 X 3/4" SS SD TEK SCREWS W/O WASHERS

Order #: 53-5120341 –100 per package

TAPERED POINT (TAPPING) SCREWS WITH WASHERS

With washers to attach into wood framing

#9 X 1" WOODGRIP 1/4" HEX HEAD SCREWS W/ WASHERS

Order #: 53-411001 –100 per package

#9 X 1 1/2" WOODGRIP HEX HEAD SCREWS W/ WASHERS

Order #: 53-4110112 –100 per package

#9 X 2" WOODGRIP HEX HEAD SCREWS W/ WASHERS

Order #: 53-411002 –100 per package

#14 X 3/4" TAPPING SCREWS W/WASHERS

Order #: 53-214034 –100 per package

#14 X 1" TAPPING SCREWS W/WASHERS

Order #: 53-214101 –100 per package

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

**TAPERED POINT (TAPPING)
SCREWS WITHOUT WASHERS**

Without washers to attach into wood framing

**#10 X 3/4" TAPPING SCREWS W/O
WASHERS**

Order #: 53-410034 –100 per package

**#12 X 3/4" TAPPING SCREWS W/O
WASHERS**

Order #: 53-41234 –100 per package

**#12 X 1" TAPPING SCREWS W/O
WASHERS**

Order #: 53-4121 –100 per package

**#12 X 1 1/2" TAPPING SCREWS W/O
WASHERS**

Order #: 53-412112 –100 per package

**#14 X 5/8" TAPPING SCREWS W/O
WASHERS**

Order #: 53-414058 –100 per package

**#14 X 3/4" TAPPING SCREWS W/O
WASHERS**

Order #: 53-414034 –100 per package

**#14 X 1" TAPPING SCREWS W/O
WASHERS**

Order #: 53-21401 –100 per package

**#14 X 1 1/2" TAPPING SCREWS W/O
WASHERS**

Order #: 53-414112 –100 per package

SILICONE CAULK

SILICONE CAULK CLEAR GE #1001

Use to seal around and compatible with polycarbonate, acrylic or glass panels

Order #: 46-0068 –10.1 oz. –24 per case

SILICONE CAULK ALUMINUM GE

Use to seal around aluminum extrusions or flashings. Compatible with polycarbonate, acrylic or glass panels

Order #: 46-1009 –10.1 oz. –24 per case

POLYURETHANE CAULK

**POLYURETHANE CAULK LIMESTONE
COLOR [special order item]**

Perfect for sealing cracks between concrete and aluminum or steel flashing and extrusions

Order #: 46-0013 –300 ml tube –30 per case

TITEBOND POLYMER CAULK

Easy to use polymer caulks great for sealing between concrete, aluminum, glass or other materials. NOT compatible with polycarbonate or acrylic panels.

Order #: 46-44011 –clear –sold as each –12 tubes per case

Order #: 46-62401 –grey –sold as each –12 tubes per case

**CUTTING TOOLS
FOR POLYGL SHEETS**

SAIT 4.5" GRINDING WHEEL

Use like blade on grinder for cutting polycarbonate panels

Order #: 50-S22021 –sold as each –50 per carton

CORRUGATED POLYCARBONATE

BOX RIBBED PANELS

Polycarbonate, the perfect glazing choice for any greenhouse covering, translates it's many unique features into cost-saving benefits. Heavy Gauge with increased strength and improved hail protection; Anti-Fog-prevents condensation build up, improved light transmission; 10 Year Warranty; each 49.6" wide stock sheet provides 4' of coverage. Available in 49.6" & 73.6" widths and lengths from 1' to 39' by special order.

CORRUGATED POLYCARBONATE CLEAR PER SQ. FT.

90% light transmission, 1.2 U value

Order #: **51-9000** –special sizes –per square foot

49.6" WIDE STOCK SHEETS

8' LONG CLEAR CORRUGATED POLYCARBONATE 49.6" WIDE PANEL

Order #: **51-9008** –per panel

9' LONG CLEAR CORRUGATED POLYCARBONATE 49.6" WIDE PANEL

[special order item]

Order #: **51-9009** –per panel

10' LONG CLEAR CORRUGATED POLYCARBONATE 49.6" WIDE PANEL

Order #: **51-9010** –per panel

11' LONG CLEAR CORRUGATED POLYCARBONATE 49.6" WIDE PANEL

[special order item]

Order #: **51-9011** –per panel

12' LONG CLEAR CORRUGATED POLYCARBONATE 49.6" WIDE PANEL

Order #: **51-9012** –per panel

16' LONG CLEAR CORRUGATED POLYCARBONATE 49.6" WIDE PANEL

Order #: **51-9016** –per panel

20' LONG CLEAR CORRUGATED POLYCARBONATE 49.6" WIDE PANEL

Order #: **514048** –per panel

CORRUGATED-SINGLE WALL ACRYLIC PANELS

3MM CLEAR SMOOTH WAVE ACRYLIC PANEL PER SQ FT-VERY HEAVY WEIGHT

[special order item]

90% light transmission; Deglas Hi Impact Wave Profile-41" Wide Panels

Order #: **52-0390** –special sizes –per square foot

CORRUGATED POLYCARBONATE SEALING FOAM

3' LONG BOXRIB CORRUGATED POLYCARBONATE FOAM

High quality, long life foam cut in box rib shape to fill the cavity around corrugated polycarbonate at top and bottom of panels.

Order #: **51-3920** –sold per piece

SEALING FOAM

1" X 1" X 36" RUBBER FOAM

High quality, long life sealing foam, but denser foam so limited ability to squeeze in tight spaces. Also used to seal vertical gaps on corrugated glazings around doors, fans, etc.

Order #: **51-0004** –sold per piece

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

5/8" X 1" X 36" F-CELL FOAM

Good quality sealing foam, but not as thick to fit in tighter extrusions and spaces. Also used to seal vertical gaps on corrugated glazings around doors, fans, etc.

Order #: **51-0005** –sold per piece

1" X 1" X 36" AGRA TECH SQUARE SOFT FOAM

Soft foam to squeeze into small extrusions or tight places for sealing. Deteriorates if exposed to sun over time.

Order #: **519101** –sold per piece

20' X 5/8" X 1" RUBBER CLOSURE

Rolls of foam to seal around doors, fans, etc.

Order #: **50-25** –sold per roll

3/8" X 3/4" X 25' GREY FOAM TAPE

[special order item]

With adhesive on one side to seal around doors, fans, etc.

Order #: **51-1234** –sold per roll

3/8" BACKER ROD PER FOOT

Used to fill cracks or spaces before caulking

Order #: **53-38** –sold per linear foot

FASTENERS

FOR CORRUGATED GLAZING

DYNAGLAS SELF GRIP LAP FASTENERS

To join corrugated sheets together between purlins or girts. Install on 16" to 24" centers at sheet joints.

Order #: **53-0600** –25 per package

ALUMINUM BULB RIVETS WITH NEOPRENE GASKET

Use to join corrugated sheets together between purlins or girts. Install on 16" to 24" centers at sheet joints.

Order #: **53-201** –100 per package

#54-228 BLACK PLASTIC RIVETS

Use to join corrugated sheets together between purlins or girts. Install on 16" to 24" centers at sheet joints.

Order #: **53-54228** –100 per package

DP10 HAND RIVET TOOL

Tool used to install rivets

Order #: **53-5410** –sold as each

NO DRIP SPACERS FOR CORRUGATED POLYCARBONATE

Used to lift corrugated panels above purlins or greenhouse frame so you can screw in hills of corrugations and allow condensate to pass to low point of sheet.

Order #: **53-0501** –25 per package

GALVANIZED STEEL ANTIDRIP SPACERS

Used to lift corrugated sheets above purlins or greenhouse frame so you can screw in hills of corrugations and allow condensate to pass to low point of sheet.

Order #: **53-050** –50 per package

ALUMINUM THREAD NAILS #10 X 1 3/4" W/ WASHERS [special order item]

Nail with pattern to secure corrugated panels to wood.

Order #: **53-910134** –100 per package

GLASS CAULKS

PUTTYLASTIC NATURAL SUMMER GRADE CARTRIDGES

PUTTYLASTIC completely seals cracks and openings by "creeping and keying" into small crevices. Because of its special properties, PUTTYLASTIC will retain its elasticity and adhesion for years. And it is easy to apply by handgun or power gun.

Order #: **46-0056** –per tube –12 per case

PUTTYLASTIC NATURAL SUMMER GRADE CAULK [special order item]

Bulk pail to fill your own caulk guns

Order #: **46-00561** –5 gal. pail

GREENHOUSES

GLAZING/FABRIC-GLASS ACCESSORIES & INFRARED FILM



PREMIUM SOFT BEDDING PUTTY-GUN GRADE

1 gallon can to fill your own caulk tubes

Order #: **46-0057** –1 gal. –4 per case

BUTYL TOPSEAL CAULK TUBE-GREY

For caulking top of glass panels before installing bar caps

Order #: **46-2502** –10.3 oz. tube –12 per case

BUTYL ROPE 1/4" ROUND X 30' LONG ROLL

Use to install on wood or aluminum glazing bars before setting glass pane.

Order #: **46-0059** –per roll

GLASS ACCESSORIES

3/4" GLASS GLAZING POINTS 1 LB

Used to secure glass panes on wood frames to prevent glass slippage

Order #: **53-034** –sold as 1# box

TUFFLITE INFRARED GREENHOUSE FILM

A four year, fully warranted, 6 mil energy saving covering with all the features of Drip-Less anti-condensate film plus an additional additive that disperses light and helps to delay the exit of heat from the greenhouse to reduce your heating bill by an additional 10 to 25%. Features include: tri layer extrusion, dust and chemical resistant, with UV blockers, conveniently folded for ease of installation, maximum par light transmission

Custom lengths in standard widths available by special order in any multiple of 5' long in as little as 10' wide and up to 56' wide. Allow for lead time on special order lengths since these items are not stock and require 2000 pound order for preferred freight to OKC or ship FOB, Louisiana.

SHEETS

Available in widths up to 56' wide

20' X 100' IR 6 MIL CLEAR 4 YEAR FILM

Order #: **52-220100** –sold per roll

24' X 100' IR 6 MIL CLEAR 4 YEAR FILM

Order #: **52-224100** –sold per roll

28' X 100' IR 6 MIL CLEAR 4 YEAR FILM

Order #: **52-228100** –sold per roll

32' X 100' IR 6 MIL CLEAR 4 YEAR FILM

Order #: **52-232100** –sold per roll

36' X 100' IR 6 MIL CLEAR 4 YEAR FILM

Order #: **52-3600** –sold per roll

40' X 100' IR 6 MIL CLEAR 4 YEAR FILM

Order #: **52-240100** –sold per roll

40' X 150' IR 6 MIL CLEAR 4 YEAR FILM

Order #: **52-1840150** –sold per roll

48' X 100' IR 6 MIL CLEAR 4 YEAR FILM

Order #: **52-948100** –sold per roll

50' X 100' IR 6 MIL CLEAR 4 YEAR FILM

[special order item]

Order #: **52-1850100** –sold per roll

56' X 100' IR 6 MIL CLEAR 4 YEAR FILM

[special order item]

Order #: **52-256100** –sold per roll

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

TUBES

Available in widths up to 28' wide

20' X 100' IR TUBE 6 MIL CLEAR 4 YEAR FILM

Order #: 52-20100 –sold per tube

24' X 110' IR TUBE 6 MIL CLEAR 4 YEAR FILM

Order #: 52-18241101 –sold per tube

24' X 150' IR TUBE 6 MIL CLEAR 4 YEAR FILM

Order #: 52-18241501 –sold per tube

TUFFLITE IV-4 YEAR GREENHOUSE FILM

A high quality, four year, 6 mil copolymer covering fully warranted for four years. Features include: tri layer extrusion, dust and chemical resistant, with UV blockers, conveniently folded for ease of installation, maximum par light transmission

Custom lengths in standard widths available by special order in any multiple of 5' long in as little as 10' wide and up to 56' wide. Allow for lead time on special order lengths since these items are not stock and require 2000 pound order for preferred freight to OKC or ship FOB, Louisiana.

SHEETS

Available in widths up to 56' wide

10' X 100' TUFFLITE IV 6 MIL CLEAR FILM

Order #: 52-4454 –sold per roll

12' X 100' TUFFLITE IV 6 MIL CLEAR FILM

Order #: 52-44541 –sold per roll

16' X 100' TUFFLITE IV 6 MIL CLEAR FILM

Order #: 52-4616100 –sold per roll

20' X 100' TUFFLITE IV 6 MIL CLEAR FILM

Order #: 52-3020100 –sold per roll

24' X 100' TUFFLITE IV 6 MIL CLEAR FILM

Order #: 52-3124100 –sold per roll

28' X 100' TUFFLITE IV 6 MIL CLEAR FILM

Order #: 52-4628100 –sold per roll

32' X 100' TUFFLITE IV 6 MIL CLEAR FILM

Order #: 52-3132100 –sold per roll

32' X 150' TUFFLITE IV 6 MIL CLEAR FILM

Order #: 52-3132150 –sold per roll

36' X 100' TUFFLITE IV 6 MIL CLEAR FILM

Order #: 52-3136110 –sold per roll

40' X 100' TUFFLITE IV 6 MIL CLEAR FILM

Order #: 52-3140100 –sold per roll

40' X 150' TUFFLITE IV 6 MIL CLEAR FILM

Order #: 52-3140150 –sold per roll

42' X 100' TUFFLITE IV 6 MIL CLEAR FILM

Order #: 52-8642100 –sold per roll

48' X 100' TUFFLITE IV 6 MIL CLEAR FILM

Order #: **52-4648103** –sold per roll

48' X 150' TUFFLITE IV 6 MIL CLEAR FILM

[special order item]

Order #: **52-44702** –sold per roll

50' X 100' TUFFLITE IV 6 MIL CLEAR FILM

Order #: **52-4650100** –sold per roll

56' X 100' TUFFLITE IV 6 MIL CLEAR FILM

[special order item]

Order #: **52-4656100** –sold per roll

TUBES

A tube is like a double layer, allowing you to install 2 layers at a time. Available in widths up to 28' wide.

20' X 100' TUFFLITE IV TUBE 6 MIL CLEAR FILM

Order #: **52-4463** –sold per tube

24' X 100' TUFFLITE IV TUBE 6 MIL CLEAR FILM

Order #: **52-4465** –sold per tube

GREENHOUSE FILM

TUFFLITE NURSERY CLEAR 1 YEAR GREENHOUSE FILM

A fully warranted 6 mil, 1 year copolymer nursery clear film, Features include: tri layer extrusion, dust and chemical resistant, with UV blocker, conveniently folded for ease of installation, maximum par light transmission. Tubes available by special order.

Custom lengths in standard widths available by special order in any multiple of 5' long in as little as 10' wide and up to 56' wide. Allow for lead time on special order lengths since these items are not stock and require 2000 pound order for preferred freight to OKC or ship FOB, Louisiana.

SHEETS

Available in widths up to 56' wide

10' X 100' 6 MIL NURSERY CLEAR FILM

Order #: **52-3010100** –sold per roll

12' X 100' 6 MIL NURSERY CLEAR FILM

Order #: **52-3012100** –sold per roll

20' X 100' 6 MIL NURSERY CLEAR FILM

Order #: **52-3020100** –sold per roll

24' X 100' 6 MIL NURSERY CLEAR FILM

Order #: **52-30241001** –sold per roll

28' X 100' 6 MIL NURSERY CLEAR FILM

Order #: **52-30281001** –sold per roll

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

32' X 100' 6 MIL NURSERY CLEAR FILM

Order #: 52-30321001 –sold per roll

40' X 100' 6 MIL NURSERY CLEAR FILM

Order #: 52-30401001 –sold per roll

40' X 150' 6 MIL NURSERY CLEAR FILM

Order #: 52-3040150 –sold per roll

42' X 100' 6 MIL NURSERY CLEAR FILM

Order #: 52-3042100 –sold per roll

48' X 100' 6 MIL NURSERY CLEAR FILM

Order #: 52-4800 –sold per roll

50' X 100' 6 MIL NURSERY CLEAR FILM

[special order item]

Order #: 52-5000 –sold per roll

56' X 100' 6 MIL NURSERY CLEAR FILM

[special order item]

Order #: 52-3056100 –sold per roll

**TUFFLITE CO-POLYMER 1 YEAR
GREENHOUSE FILM**

Co-Poly is a 6 mil, white (70% shade) overwintering 1 year film for woody nursery stock and propagation houses. It is also used on some retail garden centers or seasonal sales greenhouses. Features include: tri layer extrusion, dust and chemical resistant, with UV blockers, conveniently folded for ease of installation. Tubes available by special order.

Custom lengths in standard widths available by special order in any multiple of 5' long in as little as 10' wide and up to 56' wide. Allow for lead time on special order lengths since these items are not stock and require 2000 pound order for preferred freight to OKC or ship FOB, Louisiana.

SHEETS

Available in widths up to 56' wide

20' X 100' WHITE OVERWINTERING FILM

Order #: 52-3220100 –sold per roll

24' X 110' WHITE OVERWINTERING FILM

Order #: 52-3224100 –sold per roll

BLACK NURSERY FILM

Can be used on floors, for skirting benches, for inexpensive daylength control or for landscaping.

8' X 100' 6 MIL BLACK POLY FILM

[special order item]

Order #: 52-30608 –per roll

10' X 100' 6 MIL BLACK POLY FILM

[special order item]

Order #: 52-30610 –per roll

12' X 100' 6MIL BLACK POLY FILM

Order #: 52-30612 –per roll

16' X 100' 6 MIL BLACK POLY FILM

[special order item]

Order #: 52-30616 –per roll

20' X 100' 6 MIL BLACK POLY FILM

Order #: 52-30620 –per roll

24' X 100' 6MIL BLACK POLY FILM

Order #: 52-30624 –per roll

32' X 100' 6MIL BLACK POLY FILM

Order #: 52-30632 –per roll

40' X 100' 6MIL BLACK POLY FILM

Order #: 52-30640 –per roll

J&D INFLATION FANS

J&D Manufacturing's Shaded Pole Blowers are designed to be used in double layered poly greenhouses. Both models have adjustable damper doors to adjust air flow as poly expands in heat or as small holes develop. Motors have thermal overload protection and carry a one year warranty.

60 CFM INFLATION FAN VBM60

1/25 HP, 120 volt, 60 CFM and 0.42 Amp. Our best selling inflation fan. Use with round bracket #51-140.

Order #: 51-40440 –sold as each

140 CFM INFLATION FAN SQUARE SNOUT

Shaded pole blower; Air flow @ 0.000 inch static pressure 140 CFM; Speed: 3020; Voltage rating: 115 volts; Current rating: 1.02 Amps; Frequency: 60/50 Hertz; Thermal protection: auto; Wheel diameter: 3 13/16 inches; Wheel width: 1 7/8 inches; Inlet diameter: 3 1/8 inches; Air flow @ 0.100 inch static pressure 136 CFM. Use with square mounting bracket #51-142.

Order #: 51-40442 –sold as each

148 CFM INFLATION FAN VBM148

148 CFM and 1.37 Amp; use with square bracket #51-142

Order #: 51-40446 –sold as each

SPECIALTY INFLATION FANS

118 CFM INFLATION FAN FOR POLYVENTS

Shaded pole blower; Speed: 2200; Voltage rating: 115 volts; Current rating: 1.45 Amps; Frequency: 60/50 Hertz; Thermal protection: auto; Wheel diameter: 4 1/4 inches; Wheel width: 2 inches; Inlet diameter: 3 5/8 inches. Replacement inflation fan for Polytex inflatable vents.

Order #: 55-40006 –sold as each

265 CFM INFLATION FAN [special order item]

Shaded pole blower; Air flow @ 0.000 inch static pressure 265 CFM; Speed: 1610; Voltage rating: 115 volts; Current rating: 1.86 amps; Frequency: 60/50 Hertz; Thermal protection: auto; Wheel diameter: 5 1/4 inches; Wheel width: 2 7/8 inches; Inlet diameter: 4 5/8 inches; Air flow @ 0.100 inch static pressure 250 CFM

Order #: 51-40447 –sold as each

AGRATECH INFLATION FAN KIT

[special order item]

Provided with cord and plug-in, intake adapter and PVC fittings to use outside air. 134 CFM adapted 2C647A inflation fan

Order #: 51-1445 –sold as each

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

134 CFM INFLATION FAN FOR AGRATECH INFLATION KIT [special order item]

Shaded pole blower; Air flow @ 0.000 inch static pressure 134 CFM, Speed: 1500; Voltage rating: 115 volts; Current rating: 0.74 Amp; Frequency; 60/50 Hertz; Thermal protection; auto; Wheel diameter; 5 1/4 inches; Wheel width: 2 1/2 inches; Inlet diameter; 4 1/2 inches; Air flow @ 0.100 inch static pressure 126 CFM. Replacement fan for Agratech outside air kit
Order #: **51-20647** –sold as each

INFLATION FAN ACCESSORIES

3 STUD INFLATION FAN MOUNTING BRACKET FOR ROUND SNOUT

Aluminum bracket for mounting round snout inflation fans with 3 mounting stubs and plastic disk to direct air between the 2 layers of film. Use with #51-40440 fan.
Order #: **51-140** –sold as each

4 STUD INFLATION FAN MOUNTING BRACKET FOR SQUARE SNOUT

Use with #51-40446 and #51-40442 fans.
Order #: **51-142** –sold as each

INSIDE/OUTSIDE AIR SWITCH KIT

Kit to allow you to choose either inside or outside inlet air for your inflation fan.
Order #: **51-0101** –sold as each

INFLATION AIR JUMPER KITS & TUBE

48" JUMPER HOSE KIT ASSEMBLY

Black plastic hose with 2 part disk on each end to channel air from roof to wall or wall to wall.
Order #: **51-0142** –sold as each

ALUMINUM FLEX TUBING

Aluminized plastic hose with wire reinforcement used to inflate polyvents and homemade inflation systems.
Order #: **51-01035** –3' x 5' -sold per roll
Order #: **51-010325** –3' x 25' –sold per roll

POLY PATCH REPAIR TAPE

Poly Patch is the leading film repair tape in America. A complete first-aid kit for greenhouses, this rugged patching tape bonds aggressively to polyethylene film. Tape made with UV protected film and features paper backing to remove from sticky side as you apply the tape to a clean dry surface.

POLY-PATCH TAPE 2" X 48'

Order #: **40-302** –per roll

POLY-PATCH TAPE 4" X 48'

Order #: **40-304** –per roll

POLY-PATCH TAPE 6" X 48'

Order #: **40-306** –per roll

POLY-PATCH TAPE 10" X 24'

Order #: **40-310** –per roll

MANOMETER

MANOMETER TO MEASURE AIR PRESSURE [special order item]

Used to measure pressure between layers of inflated poly on roofs and sidewalls.
Order #: **52-001** –sold as each

WIGGLE WIRE SYSTEMS

12' ALUMINUM VINNIPET BASE

Very nice aluminum base with swedged end. Use to secure plastic on roof, walls or around penetrations. Track can hold up to 2 springs thick; for example-1 for roof poly and 1 for wall poly. Every base needs at least two springs.
Order #: **53-9970178** –sold as each

GREENHOUSES

GLAZING/FABRIC-POLYFASTENING EXTRUSIONS & BATTEN TAPES



6'6" VINNIPET PVC COATED SPRING

Coated spring cuts fewer holes in poly. Secure poly, shade cloth or other fabric to Vinnipet base. Two springs needed for each 12' base

Order #: **53-9970192** –sold as each

POLY FASTENING EXTRUSIONS

19'6" GABLE EXTRUSION ARCHED & PUNCHED FOR 30' QUONSET

Requires 2 per endwall on 30' wide Thermolator and most other 30' Quonsets to lock in roof poly on top and provides "U" channel out over end to receive corrugated or twinwall glazing. 1' polyfastening caps sold separately. Punched and bent for 30' Quonset.

Order #: **509102** –sold per piece

23'6" GABLE EXTRUSION ARCHED & PUNCHED FOR 20' QUONSET

Requires one per endwall on 20' coldframes and most other 20' Quonsets to lock in roof poly on top and provides "U" channel out over end to receive corrugated or twinwall glazing. 1' polyfastening caps sold separately.

Order #: **509103** –sold per piece

40" AGRA LOCK PUNCHED CORNER BASE

Base poly fastening lock for 3'6" sidewalls on 30' wide Thermolator greenhouse. Caps sold separately.

Order #: **53-1201** –sold per piece

54" AGRA LOCK PUNCHED CORNER BASE

Agra Lock base for corners of 5' tall walls on Agra Tech 20' coldframes. Caps sold separately.

Order #: **53-1202** –sold as each

12' AGRA-LOCK PUNCHED BASE EXTRUSION

12' base channel for poly locking system. Requires 13 screws to secure to frame and caps sold separately.

Order #: **53-1203** –sold as each

2' AGRA-LOCK TOP EXTRUSION

Cap to secure poly film, shade cloth or other glazings to Agra Lock base, use 2' caps on straight runs.

Order #: **53-1204** –sold as each

1' AGRALOCK TOPS FOR ARCHES

Cap to secure poly film, shade cloth or other glazings to Agra Lock base. Use 1' caps on arched bases, at top of gable end walls or over roof.

Order #: **53-12045** –sold as each

12' AGRA SPLICE BASE-FLAT/PUNCHED

Double track of Agralock to do joint on roof or walls with poly going in two separate directions. Each base will require either 6 -2' caps on straight runs or 12-1' caps over arches.

Order #: **53-1206** –sold as each

NEXLOCK 12' ALUMINUM BASE

[special order item]

Unpunched base channel for poly locking system. Need to drill your own mounting holes and caps purchased separately. Each base will require 6-2' caps on straight runs.

Order #: **500039** –sold as each

NEXLOCK 2' ALUMINUM CAPS

[special order item]

Caps to secure poly film, shade cloth or other glazings to Nex-Lock base.

Order #: **50912** –sold as each

BATTEN TAPES

BLACK POLYPROPYLENE TAPE

Rolls of black woven polypropylene tape that looks like heavy duty lawn chair webbing. Used to secure plastic film with stapler, as hold down strapping over large roofs, to fasten interior partition and many other uses.

Order #: **51-134100** –1 3/4" x 300' –sold per roll

Order #: **51-234300** –2 3/4" x 300' –sold per roll

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

WHITE VINYL BATTEN TAPE

Ken-Bar's vinyl batten tape provides a quick fastening method for stapling plastic film to wood framing. Just staple every 4 to 6 inches through the tape and the plastic film into the wood. The tape will act as a batten strip to hold the plastic film in place. The tape is very flexible and easy to use-unroll, hold in place, and staple. It is white and contributes to a neat and attractive structure.

Order #: **51-34500** -3/4" x 500' -sold per roll
[special order item]

Order #: **51-341000** -3/4" x 1000' -sold per roll

ALUMINET-SHADE FABRIC

Aluminet is a high quality reflective metalized HDPE knitted screen for use in greenhouse thermal screens and as an alternative to black shade cloth. It is specially treated to prevent oxidation and protects against frost radiation damages, repels pests and thrips, moderates day/night temperatures and is easy to install due to light weight and high elasticity. This reflective fabric can be installed inside or outside over the greenhouse glazing. At the same outdoor temperature it will be several degrees cooler inside the greenhouse with this fabric compared to the usual woven black shade fabric. These fabrics can be fabricated into the desired size panel. We can also tape or hem edges and add grommets to your desired panel size. These fabrics are available in standard widths of 7', 14', 21' and 28' but can be fabricated to meet your needs.

30% ALUMINET SHADE FABRIC

[special order item]
Order #: **51-18030** -per sq. ft.

40% ALUMINET SHADE FABRIC

[special order item]
Order #: **51-18040** -per sq. ft.

50% ALUMINET SHADE FABRIC

[special order item]
Order #: **51-18050** -per sq. ft.

60% ALUMINET SHADE FABRIC

[special order item]
Order #: **51-18060** -per sq. ft.

70% ALUMINET SHADE FABRIC

[special order item]
Order #: **51-18070** -per sq. ft.

WOVEN POLYPROPYLENE SHADE

Dewitt's Woven Shade is made from 100% polypropylene microfilament strands. It is UV stabilized to hold up under the most extreme solar conditions. Woven Shade can be used for a variety of applications: wind and privacy screen, shading for sports and recreation, livestock, patio, dog kennels and solar protection for plants. Can be custom fabricated in any width and length and even in unique sizes and shapes. Call for pricing or custom sizes, colors, shade percentages to meet you specific needs. All stock panels are black woven shade fabric with all edges taped and #4 grommets every 2' on all 4 sides and at corners.

6'X100' 63% SHADE CLOTH T&G/2'

Order #: **51-06100** -per piece

10'X100' 63% SHADE CLOTH T&G/2'

Order #: **51-10100** -per piece

12'X100' 63% SHADE CLOTH T&G/2'

Order #: **51-121001** -per piece

20'X14' 73% SHADE CLOTH T&G/2''

Order #: **51-2014** -per piece

20'X100' 63% SHADE CLOTH T&G/2'

Order #: 51-20100 –per piece

24'X49' 63% SHADE CLOTH T&G/2'

Order #: 51-2449 –per piece

24'X97' 63% SHADE CLOTH T&G/2'

Order #: 51-2497 –per piece

30'X30' 63% SHADE CLOTH T&G/2'

Order #: 51-3030 –per piece

30'X35' 63% SHADE CLOTH T&G/2'

Order #: 51-3035 –per piece

40'X49' 63% SHADE CLOTH T&G/2'

Order #: 51-4049 –per piece

40'X97' 63% SHADE CLOTH T&G/2'

Order #: 51-4097 –per piece

SHADE CLOTH

KNITTED SHADE

DeWitt's Knitted Shade is made from 100% UV stabilized polyethylene. It's unique lock stitch construction allows customers the ability to cut the fabric with scissors without further unraveling. Its light weight and durability make it a superior choice for all types of shade applications. Can be custom fabricated in any width and length and even in unique sizes and shapes.

40' X 100' 30% BLACK KNITTED SHADE CLOTH

All edges taped and grommets every 2' on all 4 sides

Order #: 51-040100 –per piece

6' WIDE 50% BLACK KNITTED SHADE

No Tape or Grommets

Order #: 51-065001 –per linear foot of length

12'X18' 70% BLACK KNITTED SHADE

All edges taped and grommets every 2' on all 4 sides

Order #: 51-101001 –per piece

15'6"X47'6" 70% BLACK KNITTED SHADE

All edges taped and grommets every 2' on all 4 sides

Order #: 51-156476 –per piece

SHADE CLOTH ACCESSORIES

1/4" SOLID BRAID NYLON ROPE

For lacing or tying the shade cloth to hooks or eyebolts on the greenhouse.

Order #: 51-314 –per linear foot

3/16" SOLID BRAID NYLON ROPE

For lacing or tying the shade cloth to hooks or eyebolts on the greenhouse.

Order #: 51-316 –per linear foot

CLIP-ITS RETAIL (6 PER PACK)

Snap together black plastic grommet to attach to shade cloth fabric and then tie or rope in place.

Order #: 54-2005 –6 per pack –25 packs per case

CLIP-ITS BULK CASE

Snap together black plastic grommet to attach to shade cloth/ fabric and then tie or rope in place

Order #: 54-5 –300 per case

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

NYLON CLOTH HANGER CLIPS F0503

This nylon clip has the advantage of clamping the supported fabric top and bottom with a broader holding surface than most clips. The circular leg clamps the fabric together to hold the material firmly in place. Wadsworth clip for replacement on Wadsworth motorized shade systems or to use if making your own moveable shade system.

Order #: **51-0503** –pack of 50

SHADE COMPOUND

ULTRA KOOLRAY WHITE SHADE

[special order item]

Dilute with 6 to 12 gallons of water and spray on greenhouse glazing to shade or reduce light transmission while reducing heat from entering greenhouse because of high reflectivity.

Order #: **46-0044** –1 gal. –4 per case

Order #: **46-0045** –5 gal. pail

VARISHADE-2 REMOVABLE SHADE COMPOUND

Special shade that is clear when wet or shaded when dry on the applied surface.

Order #: **46-0046** –1 gal. –4 per case

3.0 OZ ROW COVER

DeWitt's Thermal Blanket is a 3. oz. white, non-woven, needle-punched polypropylene material. Thermal Blanket is designed to let rain and irrigation through to your nursery stock, while holding in precious heat. Due to the fabric's permeability, there is no need to worry about foliage burn, so Thermal Blanket can remain in use even on sunny days. This is an excellent product for late fall and early spring applications to extend your selling seasons. Thermal Blanket also makes an effective alternative for overwintering perennials and other ornamentals.

The 3. oz. white spun bond fabrics provide 6 degrees to 12 degrees of extra protection depending on winds and how the edges are sealed to the earth.

6' X 250' THERMAL BLANKET

Order #: **47-6250** –sold by roll

12' X 250' THERMAL BLANKET

Order #: **47-106250** –sold by roll

15' X 250' THERMAL BLANKET

Order #: **47-15250** –sold by roll

1.5 OZ ROW COVER

The 1.5 oz. white spun bond fabric provides 4 to 8 degrees of extra protection depending on winds and how the edges are sealed to the earth.

N-SULATE 10' X 12' PLANT GUARD

DeWitt's 1.5 oz. N-Sulate is a medium weight, permeable, UV treated fabric designed to protect flowering annuals, bedding plants and vegetables from the severe cold and freezing temperatures. This fabric installs easily and is reusable. N-Sulate can lengthen your harvest time and extend your flowering season.

Order #: **47-1012** –sold each in consumer poly pak
–12 per case

12' X 250' N-SULATE 1.5 OZ.

Order #: **47-123001** –sold by roll

12' X 500' N-SULATE 1.5 OZ.

[special order item]

Order #: **47-07188101** –sold by roll

24' X 500' N-SULATE 1.5 OZ.

[special order item]

Order #: **47-07188301** –sold by roll

48' X 500' N-SULATE 1.5 OZ.

[special order item]

Order #: 47-0745100 –sold by roll

.5 & .6 OZ ROW COVER

For winter protection the .5 and .6 oz. white spun bond fabrics provide 3 to 5 degrees of extra protection depending on winds and how edges are sealed to the earth.

67" X 250' DUPONT TRIAL ROW COVER

Order #: 47-0167250 –sold by roll

67" X 2550' DUPONT ROW COVER

[special order item]

Order #: 47-01672550 –sold by roll

PLANT GUARD 12' X 500' DEWITT

[special order item]

DeWitt Seed & Plant Guard is a lightweight, 0.5 oz., white, spun-bond fabric for use in grass seeding at commercial and residential sites. It creates an excellent microenvironment for seed germination and seedling growth. This fabric provides a 90-95% average seed germination compared to 60-65% with straw or hay and can be used as a low cost insulation against the elements.

Order #: 47-12300 –sold by roll

12' X 500' DEWITT ROW COVER

[special order item]

Order #: 47-01148300 –sold by roll

48' X 300' FLOATING ROW COVER

Kimberly Clark .6 oz. row cover for 3 to 5 degrees of extra protection

Order #: 47-0848300 –sold by roll

SLITTED ROW COVER

Use slitted row cover over hoops to create a small tunnel greenhouse to provide extra protection from wind and night temperatures but to ventilate excessive daytime heat out slits in plastic film.

6' X 1000' CLEAR SLITTED ROW COVER

[special order item]

Order #: 47-0361000 –sold by roll

6' X 250' CLEAR SLITTED ROW COVER

[special order item]

Order #: 47-0461000 –sold by roll

76" #10 GALVANIZED WIRE/HOOPS

[special order item]

Used to create inexpensive hoops to support the slitted row cover. Press one end in ground, bend to create arch and press other end in ground to create hoop structure and cover with slitted row cover.

Order #: 47-76 –sold by bundle of 100

UNSLITTED ROW COVER

Same plastic film as slitted row cover without slits. Provides more cold protection but beware of excessive day time heat buildup unless you open ends or sides on sunny, warm days.

UNSLITTED CLEAR POLY ROW COVER 0.5

MIL [special order item]

Order #: 47-0564001 –6' x 1000 –sold by roll

Order #: 47-0564000 –6' x 8000' –sold by roll

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

MULCH FILM

Apply mulch film by hand or with equipment to warm soil to help produce early crops and to physically control weeds and grass from competing with your desired crop.

48" X 4000' 1.25 MIL BLACK/WHITE MULCH FILM

Order #: 54-44000 –sold by roll

48" X 4000' 1 MIL BLACK EMBOSSED MULCH FILM

Order #: 52-3115 –sold by roll

48" X 1640' 1.25 MIL GREEN IRT MULCH FILM

Order #: 52-041640 –sold by roll

48" X 3000' SRM 1 MIL RED MULCH FILM [special order item]

Promotes higher yields of tomatoes

Order #: 52-06915 –sold by roll

60" X 2400' 1.25 MIL BLACK MULCH FILM

Order #: 52-31602400 –sold by roll

WALL O' WATER

WALLO' WATER PLANT PROTECTOR

Series of round plastic tubes you fill with water to make solar teepee around your vegetables or other plants to provide protection against cold and wind and to help get an early crop harvest.

Order #: 47-103 –3 per consumer package /
--12 packs of 3 per case

HOT KAPS

To provide extra frost protection to your vegetables and plants

REGULAR WAX PAPER HOTKAPS

6 1/2" tall x 11" diameter with paper setter

Order #: 47-02 –100 per case

KING SIZE WAX PAPER HOTKAPS

9 1/2" tall x 11" diameter with paper setter

Order #: 47-03K –100 per case

JIFFY REUSABLE PLASTIC DOME HOT KAPS

Order #: 15-5339 –5 per pack

NO THRIP INSECT SCREEN

U.V. stabilized Insect Screens from Greentek, correctly installed prevent insect penetration, yet provide maximum possible air flow that is essential for optimal crop yields. All greenhouse openings including intake vents, service doors, etc., should be screened for best results, and double screened personnel doors can be installed for best control. Construction: 81 x 81 mesh; Opening size: 0.0059 x 0.0059"; Thread size: 0.15 mm; Weave: 1/1; Weight: 0.216 lbs. per sq. yard; Shade value: 33%; Light transmission: 66%; UV resistance: tested to equivalent of 3 years. Finest size opening of insect screens.

39" WIDE NO THRIP INSECT SCREEN

[special order item]

Order #: 54-18039 –per linear foot

78" WIDE NO THRIP INSECT SCREEN

[special order item]

Order #: **54-18078** –per linear foot

156" WIDE NO THRIP INSECT SCREEN

[special order item]

Order #: **54-180156** –per linear foot

ANTIVIRUS INSECT SCREEN

Construction: 50 x 24 mesh; Opening size: 0.0105 x 0.0322"; Thread size: 0.24 mm; Weave: 1/1; Weight: 0.33 lbs. per sq. yard; Shade value: 20%; Light transmission: 80%; UV resistance: tested to equivalent of 5 years. Finest mesh. Mid size opening of insect screens.

39" WIDE ANTI-VIRUS INSECT SCREEN

[special order item]

Order #: **54-54239** –per linear foot

78" WIDE ANTI-VIRUS INSECT SCREEN

[special order item]

Order #: **54-54278** –per linear foot

118" WIDE ANTI-VIRUS INSECT SCREEN

[special order item]

Order #: **54-542118** –per linear foot

ALUMINUM WIRE INSECT SCREEN

Bright Aluminum Screen Wire is rust and corrosion resistant. It's an easy to install, consistent weave, high quality screening suitable for most door, window and vent applications. The strong aluminum material is rigid enough to hold its shape during fabrication. Coarsest or largest opening size of insect screens. 18 x 16 mesh size.

36" WIDE 30 MESH ALUMINUM SCREEN WIRE CLOTH

Order #: **54-3630** –per linear foot

36" WIDE BRIGHT ALUMINUM INSECT SCREEN

Order #: **54-AS36** –per linear foot

48" WIDE BRIGHT ALUMINUM INSECT SCREEN

Order #: **54-AS48** –per linear foot

INSECT SCREEN BRUSHES

To seal openings around racks on pad or roof vents

1" BRUSH IN 3/4" ALUMINUM HOLDER

Order #: **54-380CLA10** –per linear foot

1 1/2" BRUSH IN 1 1/8" ALUMINUM HOLDER [special order item]

Order #: **54-480CLA** –per linear foot

2" BRUSH IN 1 1/8" ALUMINUM HOLDER [special order item]

Order #: **54-480CLA20** –per linear foot

To Order Call: 405.787.4833 or 1.800.522.3376

Prices subject to change without notice

3" BRUSH IN | 1/8" ALUMINUM HOLDER

[special order item]

Order #: **50-815** –per linear foot

FOAM TAPE ROLLS

**1/4" THICK X | 1/2" WIDE X 50' BLACK
FOAM TAPE**

3M tape to install under stationary insect screen panels to get a good seal.

Order #: **51-14112** –sold per roll

**1/4" THICK X | 1/2" WIDE X 108' DOUBLE
SIDE FOAM [special order item]**

3M tape with adhesive on both sides to install under stationary insect screen panels to get a good seal.

Order #: **51-495015** –sold per roll

**1/4" THICK X 1/2" WIDE X 50' BLACK
FOAM TAPE W/ADHESIVE BACKING**

Adhesive on 1 side to use on glass or metal for sealing or separation.

Order #: **53-1412** –sold per roll

**1/4" THICK X 3/4" WIDE X 50' BLACK
FOAM TAPE [special order item]**

Adhesive on 1 side to use on glass or metal for sealing or separation.

Order #: **51-74814** –sold per roll